POWER TOOL ACCESSORIES





M. K. Morse products are manufactured in Canton, Ohio, in the industry's most advanced production facility. This facility has undergone a number of expansions over the years as we developed our unique integrated manufacturing approach that helps us ship most orders for standard stock products within 24 hours.

In addition to this plant, there are M. K. Morse warehouses in California, Canada, England and Finland. Our products are available to professional contractors through a worldwide network of professional contractor and industrial supply distributors. To find your nearest M. K. Morse distributor call 1-800-733-3377. Internationally call 001-330-453-8187.



WE HELP POWER TOOLS DO THEIR JOB BETTER

Our whole business is making saw blades for professionals. We make blades that last longer, cut smoother and do every conceivable cutting job. We make them for plumbers, electricians, carpenters, roofers, sheet metal workers, and anyone who uses power tools.

We make it our job to never, ever, let these people down. Toward this end we've continually invested in better research and development, better manufacturing processes, better raw materials and better warehousing facilities. The result is a wide-ranging product line that offers professionals blades that work better and last longer.

THE SAW MAKERS ART AS PRACTICED AT M. K. MORSE

Since 1963 we have been developing, improving and refining our saw blade manufacturing processes. The saw makers' art, as practiced by Morse, is a combination of state-of-the-art production facilities, engineering innovation and personal skill.

Many of our engineering and production employees have been at it for decades. Today they work in a fully integrated manufacturing facility where we do everything but make our own steel. This gives us total control of our processes, making it easier for us to meet tight production deadlines.

Visit us at mkmorse.com


Table of Contents

Hole Cutting & Boring Tools		
Master Cobalt® Bi-Metal Hole Saws	5	
Master Cobalt® Deep Cut Hole Saw	vs 6	
Carbide Tipped Hole Saws	6	
Tungsten Carbide Grit Hole Saws	7	
Recessed Lighting Hole Saws	7	
Master Cobalt® Hole Saw Kits	8	
Arbors and Accessories	10	
The Real McCoy® Bi-Metal Hole Sav	ws 11	
The Real McCoy® Hole Saw Kits	12	
Combination Hole Saw Kits	13	
Spade Bits & Step Drills (HSS & TiN)) 14	
Double Cut Auger Bits	15	
Self Feeding Wood Bits	15	
Reciprocating Saw Blades		
Master Cobalt® Bi-Metal Blades	17	
Morse Bi-Metal Blades	18	
The Real McRipper® Demolition Bl	ades 20	
Fire & Rescue Blades	20	
U-Shank Blades	20	
Bi-Metal Reciprocating Blade Kits	20	
Jab Saw	21	
Tungsten Carbide Grit/Tipped Blac	des 21	
Air Saw Bi-Metal Blades	21	
Jig Saw Blades		
Morse Bi-Metal Jig Saw Blades	23	
Bi-Metal Jig Saw Blade Assortment		
Carbon Jig Saw Blades	24	
Bayonet Shank Blades	25	
Carbide Grit Blades	25	
Portable Band Saw Blades		
Master Cobalt® Bi-Metal Blades	27	
Morse Standard Bi-Metal Blades	27	
Carbon Blades	28	
Stationary Band Saw Blades	28	
Metal Cutting Circular Saw Blades		
Morse Metal Devil®	30	
Morse Metal Devil NXT™	31	NEW
Metal Cutting Circular Saw Machir Morse Metal Devil® Circular Saws		
Morse Metal Devil® V-Blocks	32 33	NEW
Type 1 Abrasive Wheel Mandrels	33	MEAA
Hack Saw Blades and Frames	33	
Bi-Metal Triple Tooth™ Blades	35	
Bi-Metal Blades	35	
Carbide Grit Hack Saw Blades	36	
Hack Saw Frames	36/37	
PVC/ABS Hand Saw & Blades	30/37	
Power Hack Saw Blades	38	
Information	50	
M. K. Morse Warranty	39	
	Back Cover	































Blade Type

Master Cobalt® Bi-Metal AV Hole Saws

Master Cobalt® Bi-Metal Deep Cutting AD Hole Saws

Tungsten Carbide Tipped AT Hole Saws

Tungsten Carbide Grit Edge ATCG Hole Saws

Real McCoy® Bi-Metal TA Hole Saws w/ Built-In Arbor

Real McCoy® Bi-Metal TAD Deep Cutting Hole Saws w/ Built-In Arbor Spade Bits

Step Drills

Application

All types of machinable metal including stainless steel, wood, nail-embedded wood, plastic. Standard 1-1/2" cutting depth cuts through 2 x 4's. Requires a separate arbor for operation.

Same cutting applications as Master Cobalt* AV style, but the AD style is deep cutting with a 1-7/8" cutting depth. Also requires a separate arbor.

Nail free wood, plastic, aluminum, fiberglass, drywall, fiberboard, plaster, acoustic tile, countertops. Coarser tooth pitch than bimetal hole saws for very fast cutting in soft material. Not recommended for pipe. Standard 1-1/2" cutting depth. Requires separate arbor.

For use in very hard or abrasive material. Hardened steel, cast iron, brick, cinder block, ceramics, foamed glass, fiberglass, composites, computer flooring, cement, acoustic tile. Standard 1-1/2" cutting depth. Requires separate arbor.

All types of machinable metal including stainless steel, wood, nail embedded wood, plastic. Standard 1-1/2" cutting depth cuts through 2 x 4's. Pass through shank — no separate arbor required.

Same cutting applications as the Real McCoy* TA style but the TAD style is deep cutting with a 1-7/8" cutting depth. Pass through shank — no separate arbor required.

Wood, plastic, plywood, formica. Fast, deep cutting at any angle.

Sheet metal, plastic/plexiglass, PVC, composition board, plasterboard. Use to drill new holes or enlarge existing holes. Also use to deburr in auto rustproofing.

MASTER COBALT® BI-METAL HOLE SAWS

This premium line of professional quality hole saws features an M3 high-speed steel cutting edge, electron beam welded to a tough steel backer. Caps stand up to abuse and punishment, yet are lighter and easier to use than those of competitors. Positive rake tooth design provides better chip clearance as teeth cut into wood, plastic or any machinable metal. The 1-1/2" cutting depth cuts easily through 2x4's. A separate arbor is required (see page 10).

Backer, cutting edge and cap work together to provide faster, longerlasting cutting action

Bi-metal design bonds M3 cutting edge to fatigue resistant backer



Positive rake teeth clear chips better for longer life and easier cutting

Teeth stay sharper and make smoother cuts

PACKAGING: 1 per box

1 per card, 2 cards per standard pack

	l	i pei cai	u, z cai	as per s	tariuaru	pack			-						
Diam	otor*		Product	Number		Pipe Tap	Pipe Ent.	Diam	neter*		Produc	t Numbe	r	Pipe Tap	Pipe Ent.
Inches	mm	Boxed Prod.#	Boxed Comp #	Carded Prod. #	Carded Comp#	Size Inches	Size Inches	Inches		Boxed Prod. #	Boxed Comp #	Carded Prod. #	Carded Comp #	Size Inches	Size Inches
		wing 1/2-20 a								ving 5/8-18 arb					
9/16	1 14	I AV09	170093	AVC09	130097	I		2-1/16	52	AV33	170338	AVC33	I 130332		
5/8	16	AV10	170109	AVC10	130103			2-1/8	54	AV34	170336	AVC34	130349		
3/0	16	AV105	175104	AVC105	130646			2 1/0	55	AV345	175340	AVC345	135344		
11/16	17	AV11	170116	AVC103	130110			2-1/4	57	AV36	170369	AVC343	130363	2	
3/4	19	AV12	170113	AVC12	130117	1/2	3/8	2-5/16	59	AV37	170376	AVC37	130370		
3/1	20	AV125	175128	AVC125	135122	1/2	3/0	2-3/8	60	AV38	170370	AVC38	130387		
13/16	21	AV13	170130	AVC13	130134			2 3/0	62	AV385	175388	AVCSO			
7/8	22	AV14	170130	AVC14	130141	3/4	1/2	AV40-AV96 u		ving 5/8-18 ark		6PS, M55P. or	M44K	' '	
15/16	24	AV15	170154	AVC15	130158	5/ !	1/2	2-1/2	64	AV40	170406	AVC40	130400		2
15, 10	25	AV155	175159	AVC155	135153			2-9/16	65	AV41	170413	AVC41	130417		_
1	25	AV16	170161	AVC16	130165			2-5/8	67	AV42	170420	AVC42	130424	2-1/2	
1-1/16	27	AV17	170178	AVC17	130172				68	AV425	175425	AVC425	135429	/-	
1-1/8	29	AV18	170185	AVC18	130189	1	3/4	2-11/16	68.5	AV435	175432	AVC435	135436		
, -	30	AV185	175180	AVC185	135184		5, .	2-3/4	70	AV44	170444	AVC44	130448		
1-3/16	30	AV19	170192	AVC19	130196			2-7/8	73	AV46	170468	AVC46	130462		
1-1/4	32	AV204	174022	AVC204	134200			- 1,0	75	AV475	175470	AVC475	135474		
1-3/8	35	AV224	174220	AVC224	134224			3	76	AV48	170482	AVC48	130486		2-1/2
1-1/2	38	AV244	174244	AVC244	134248	1-1/4		3-1/8	79	AV50	170505	AVC50	130509		
		wing 5/8-18 a				or M44K		3-1/4	83	AV52	170529	AVC52	130523	3	
1-1/4	32	AV20	170208	AVC20	130202			3-3/8	86	AV54	170543	AVC54	130547		
	32	AV205	175203	AVC205	135207			3-1/2	89	AV56	170567	AVC56	130561		
1-5/16	33	AV21	170215	AVC21	130219			3-5/8	92	AV58	170581	AVC58	130585		3
1-3/8	35	AV22	170222	AVC22	130226		1	3-3/4	95	AV60	170604	AVC60	130608	3-1/2	
	35	AV225	175227	AVC225	135221			3-7/8	98	AV62	170628	AVC62	130622		
1-7/16	37	AV23	170239	AVC23	130233				100	AV63	170635	AVC63	130639		
1-1/2	38	AV24	170246	AVC24	130240	1-1/4		4	102	AV64	170642	AVC64	130646		
1-9/16	40	AV25	170253	AVC25	130257			4-1/8	105	AV66	170666	AVC66	130660		3-1/2
	40	AV255	175258	AVC255	135252			4-1/4	108	AV68	170680	AVC68	130684	4	
1-5/8	41	AV26	170260	AVC26	130264			4-3/8	111	AV70	170703	AVC70	130707		
1-11/16	43	AV27	170277	AVC27	130271			4-1/2	114	AV72	170727	AVC72	130721		4
1-3/4	44	AV28	170284	AVC28	130288	1-1/2	1-1/4	4-3/4	121	AV76	170765	AVC76	130769	4-1/2	
	45	AV285	175289	AVC285	135283			5	127	AV80	170802	AVC80	130806		
1-13/16	46	AV29	170291	AVC29	130295			5-1/4	133	AV84	170840				
1-7/8	48	AV30	170307	AVC30	130301			5-1/2	140	AV88	170888	AVC88	130882		
	50	AV315	175319	AVC315	135313			5-3/4	146	AV92	170925	AVC92	130929		
2	51	AV32	170321	AVC32	130325		1-1/2	6	152	AV96	170963	AVC96	130967		

* Metric sizes shown in red are exact millimeter sizes. Metric sizes in black are approximate metric equivalents of exact inch sizes. For Master Cobalt Hole Saw Kits see pages 8 & 9. For arbors and accessories, see page 10.

Same				SAWS - 2 es. Packed		ox at divided	box.	Same				E SAWS - . Can be a			POP.
Inches	mm	Prod.#	Comp #	Inches	mm	Frod.# C	omp#	Inches	mm	Prod. #	Comp #	Inches	mm I	rod.# C	omp#
3/4	19	AV12B25	169004	1-1/2	38	AV24B25	169059	3/4	19	AV12M20	169110	1-1/2	38	AV24M20	169165
7/8	22	AV14B25	169011	1-5/8	41	AV26B25	169066	7/8	22	AV14M20	169127	1-5/8	41	AV26M20	169172
1	25	AV16B25	169028	1-7/8	48	AV30B25	169073	1	25	AV16M20	169134	1-7/8	48	AV30M20	169189
1-1/8	29	AV18B25	169035	2	51	AV32B25	169080	1-1/8	29	AV18M20	169141	2	51	AV32M20	169196
1-1/4	32	AV20B25	169042	2-1/8	54	AV34B25	169097	1-1/4	32	AV20M20	169158				
1-3/8	35	AV22B25	169349	2-3/8	60	AV38B25	169103								

MASTER COBALT® DEEP CUTTING **BI-METAL HOLE SAWS**

1-7/8" cutting depth provides extra depth for specialty cuts made by locksmiths, remodelers and general contractors alike. Easily cuts through 2 x 4's, joists and most doors in one pass with extra clearance.

PACKAGING: 1 per box

Variable pitch smoothes cutting action with minimum vibration

M3 cutting edge for high wear resistance and longer life



Diam	eter			Pipe Tap	Pipe Ent.	Diame	ter	ann.	mw.	Pipe Tap	Pipe Ent.
Inches	mm	Product #	Computer #	Size Inches	Size Inches	Inches	mm	Product #	Computer #	Size Inches	Size Inches
3/4	19	AD12	150002	1/2	3/8	2-3/4	70	AD44	150354		
7/8	22	AD14	150019	3/4	1/2	3	76	AD48	150132		2-1/2
1	25	AD16	150026			3-1/4	83	AD52	150385	3	
1-1/8	29	AD18	150033	1	3/4	3-3/8	86	AD54	150149		
1-3/16	30	AD19	150248			3-1/2	89	AD56	150187		
1-1/4	32	AD20	150040			3-3/4	95	AD60	150408		
1-3/8	35	AD22	150057		1	3-7/8	98	AD62	150194	3-1/2	
1-1/2	38	AD24	150064	1-1/4		4	102	AD64	150200		
1-3/4	44	AD28	150071	1-1/2	1-1/4	4-1/4	108	AD68	150156		
1-7/8	48	AD30	150088		1-1/2	4-1/2	114	AD72	150439		4
2	51	AD32	150095			4-3/4	121	AD76	150446	4-1/2	
2-1/8	54	AD34	150101			5	127	AD80	150453		
2-1/4	57	AD36	150118	2		5-1/2	140	AD88	150460		
2-3/8	60	AD38	150170			6	152	AD96	150484		
2-1/2	64	AD40	150125		2	6-5/8	168	AD106	150163		

CARBIDE TIPPED MAINTENANCE KIT: AT100 / 160056

Contains popular sizes used in installation of 1/2"-2" pipe and conduit through abrasive materials. Saws (1 each): 3/4", 7/8", 1-1/8", 1-3/8", 1-1/2",

1-3/4", 2", 2-1/4", 2-1/2" Arbors (1 each): M24K, M44,

M45P Extension (1): 12"

CARBIDE TIPPED ELECTRICIANS KIT:

AT02E / 160001

Pipe and conduit entrance sizes to 2"

through abrasive materials. Saws (1 each): 7/8", 1-1/8", 1-3/8", 1-3/4", 2", 2-1/2"

Ground and set teeth to help cut materials that bi-metal saws will

not cut

Arbors (1 each): M34CT, M45PCT



CARBIDE TIPPED HOLE SAWS

Specifically designed for sawing holes in abrasive materials such as fiberglass, particleboard, asbestos board, and formica.

PACKAGING: 1 per box

Diame	ter				Diame	ter		
Inches	mm	Product #	Comp #		Inches	mm	Product #	Comp #
	16	AT105	160100		2-5/16	59	AT37	160377
11/16	17	AT11	160117		2-3/8	60	AT38	160384
3/4	19	AT12	160124		2-1/2	64	AT40	160407
13/16	21	AT13	160131		2-9/16	65	AT41	160414
7/8	22	AT14	160148		2-5/8	67	AT42	160421
15/16	24	AT15	160155		2-11/16	68	AT43	160438
1	25	AT16	160162		2-3/4	70	AT44	160445
1-1/16	27	AT17	160179		2-7/8	73	AT46	160469
1-1/8	29	AT18	160186		3	76	AT48	160483
1-3/16	30	AT19	160193		3-1/8	79	AT50	160506
1-1/4	32	AT20	160209		3-1/4	83	AT52	160520
1-5/16	33	AT21	160216		3-3/8	86	AT54	160544
1-3/8	35	AT22	160223		3-1/2	89	AT56	160568
1-7/16	37	AT23	160230		3-5/8	92	AT58	160582
1-1/2	38	AT24	160247		3-3/4	95	AT60	160605
1-9/16	40	AT25	160254		3-7/8	98	AT62	160629
1-5/8	41	AT26	160261		4	102	AT64	160643
1-11/16	43	AT27	160278		4-1/8	105	AT66	160667
1-3/4	44	AT28	160285		4-1/4	108	AT68	160681
1-13/16	46	AT29	160292		4-3/8	111	AT70	160704
1-7/8	48	AT30	160308		4-1/2	114	AT72	160728
2	51	AT32	160322		4-3/4	121	AT76	160766
2-1/16	52	AT33	160339		5	127	AT80	160803
2-1/8	54	AT34	160346		5-1/2	140	AT88	160889
2-1/4	57	AT36	160360		5-3/4	146	AT92	160926
For arhors	and a	ccessories se	an nage 10	L	6	152	AT96	160964

For arbors and accessories, see page 10.



3 teeth per inch creates wider gullet for better chip clearance and faster cutting

TUNGSTEN CARBIDE GRIT HOLE SAWS

The long-lasting choice for cutting holes in materials too hard or abrasive for standard bi-metal saws, or so thin they would strip bi-metal or chip carbide teeth. Ideal for cutting ceramics, fiberglass, hardwoods, cast iron, composites, etc.



Super resistance to heat, wear and abrasion with shock resistant back

Tungsten carbide grains are bonded to alloy backs with a gulleted, snag resistant edge

1-1/2" cutting depth.

PACKAGING: 1 per box

Dian	·			Pipe Tap	Pipe Ent.	Diam	neter			Pipe Tap	Pipe Ent.
Inches	mm	Product #	Comp #	Size Inches	Size Inches	Inches	mm	Product #	Comp #	Size Inches	Size Inches
3/4	19	ATCG12	161084	1/2	3/8	2-3/8	60	ATCG38	161299		
13/16	21	ATCG13	161091			2-1/2	64	ATCG40	161305		2
7/8	22	ATCG14	161107	3/4	1/2	2 9/16	65	ATCG41	161312		
15/16	24	ATCG15	161114			2-5/8	67	ATCG42	161329	2-1/2	
1	25	ATCG16	161121			2-3/4	70	ATCG44	161336		
1-1/16	27	ATCG17	161138			2-7/8	73	ATCG46	161343		
1-1/8	29	ATCG18	161145	1	3/4	3	76	ATCG48	161350		2-1/2
1-3/16	30	ATCG19	161152			3-1/8	79	ATCG50	161367		
1-1/4	32	ATCG20	161008			3-1/4	83	ATCG52	161374	3	
1-5/16	33	ATCG21	161169			3-3/8	86	ATCG54	161381		
1-3/8	35	ATCG22	161015		1	3-1/2	89	ATCG56	161398		
1-7/16	37	ATCG23	161176			3-5/8	92	ATCG58	161077		3
1-1/2	38	ATCG24	161183	1-1/4		3-3/4	95	ATCG60	161404	3-1/2	
1-9/16	40	ATCG25	161190			3-7/8	98	ATCG62	161411		
1-5/8	41	ATCG26	161206			4	102	ATCG64	161428		
1-11/16	43	ATCG27	161213			4-1/8	105	ATCG66	161435		3-1/2
1-3/4	44	ATCG28	161022	1-1/2	1-1/4	4-1/4	108	ATCG68	161442	4	
1-13/16	46	ATCG29	161220			4-3/8	111	ATCG70	161039		
1-7/8	48	ATCG30	161237			4-1/2	114	ATCG72	161459		4
2	51	ATCG32	161244		1-1/2	4-3/4	121	ATCG76	161466	4-1/2	
2-1/16	52	ATCG33	161251			5	127	ATCG80	161473		
2-1/8	54	ATCG34	161268			5-1/2	140	ATCG88	161480		
2-1/4	57	ATCG36	161275	2		5-3/4	146	ATCG92	161497		
2-5/16	59	ATCG37	161282			6	152	ATCG96	161503		



TUNGSTEN CARBIDE GRIT HOLE SAW KIT: ATCG100 / 160995

Maintenance kit includes popular sizes for plumbing, electrical, and industrial maintenance jobs.

Saws (1 each): 3/4", 7/8", 1-1/8", 1-3/8", 1-1/2",

1-3/4", 2", 2-1/4", 2-1/2"

Arbors (1 each): M24KCT, M44CT, M45PCT

Extension (1): 12"

RECESSED LIGHTING HOLE SAW

Tungsten carbide grit hole saws are ideal for quick, easy installation of recessed lighting fixtures. They cut abrasive materials such as lath, plaster and ceiling tile.

PACKAGING: 1 per box

Dian	neter			
Inches	mm	Product #	Computer #	For Installing These Lighting Fixtures
4-3/8	111	ATCG70	161039	Mini Juno, Capri, Marco, Halo
6-3/8	162	ATCG104	161046	Halo, Capri
6-5/8	168	ATCG106	161053	Juno, Progress
6-7/8	174	ATCG110	161060	Lithonla, Marco, Lightolier, Progress, Capri, Preacolite
BIMETAL HOLE	SAWS			
6-3/8	162	AV104	170314	Halo, Capri
6-5/8	168	AD106	150163	Juno, Progress

MASTER COBALT® BI-METAL HOLE SAW KITS

Special jobs need special tools. These handy kits keep the saw blade sizes pros need within easy reach. For comparable metric sizes see chart on page 9.



Entrance sizes to 4" Saws (1 each): 7/8", 1-1/8", 1-3/8", 1-3/4", 2", 2-1/2", 3" 3-5/8", 4-1/8", 4-1/2" Arbors (1 each): M24K, M44, M45P

MASTER ELECTRICIANS KIT: AV08EPD / 169455

Same as AV08E except M44 and M45P arbors are replaced with M24PD, M25PD positive drive arbors plus M24K.

ELECTRICIANS KIT: AV02E / 171021

Entrance sizes to 2" Saws (1 each): 7/8", 1-1/8", 1-3/8", 1-3/4", 2", 2-1/2" Arbors (1 each): M44, M45P

PLUMBERS KIT: AV04P / 171045

Contains pipe tap sizes for pipe through 2" Saws (1 each): 3/4", 7/8", 1-1/8", 1-1/2", 1-3/4", 2-1/4" Arbors (1 each): M44, M45P

MASTER PLUMBERS KIT: AV16P / 169417

Entrance sizes to 4" Saws (1 each): 3/4", 7/8", 1-1/8", 1-1/2", 1-3/4", 2-1/4", 2-9/16", 3", 3-1/2", 4, 4-1/4", 4-1/2" Arbors (1 each): M34, M45P Pilot Drills (1 each): MPD4S01, MPD401

MECHANICS KIT: AV05M / 171052

The 5 most popular hole saw sizes for construction, industrial and automotive jobs. Saws (1 each): 7/8", 1", 1-1/8", 1-1/4", 1-1/2" Arbor (1): M34

REFRIGERATION KIT: AV01R / 170994

Entrance sizes to 1-1/2" Saws (1 each): 5/8", 7/8", 1-1/8", 1-3/8", 1-5/8", 2-1/8" Arbor (1 each): M34, M35PS


UTILITY KIT: AV03U / 171076



A handy general purpose kit for plumbing and electrical jobs on pipe and conduit through 2". Saws (1 each): 3/4", 7/8", 1-1/8", 1-3/8", 1-1/2", 1-3/4", 2", 2-1/4", 2-1/2" Arbors (1 each): M24K, M44, M45P Extension (1): 12"

6 commonly used hole saws for general purpose use. Saws (1 each): 3/4", 7/8", 1-1/8", 1-1/2", 1-3/4", 2-1/2" Arbor (1): M34, M45P











LOCKSMITH KIT: AV02L / 171038

Designed for the professional locksmith, this kit contains sizes for installation of popular locks, deadbolts, etc. Saws (1 each): 7/8", 1", 1-1/4", 1-1/2", 1-3/4", 2-1/8" Arbors (1 each): M24, M45P

LOCKSMITH KIT: AV04L / 169448

A variation on our professional locksmith kit. Contains sizes for installation of popular locks, deadbolts, etc. Saws (1 each): 7/8", 1", 1-1/4", 1-1/2", 1-3/4", 2-1/8" Arbors (1 each): M34, M35PS

INDUSTRIAL KIT: AV08I / 169424

Covers a range of common industrial plumbing and electrical applications. Saws (1 each): 3/4", 7/8", 1", 1-1/4", 1-3/8", 1-1/2", 1-3/4", 2", 2-1/4", 2-1/2", 3" Arbors (1 each): M34, M45P Extension (1): 12", Ejector Spring (1): MES101

INDUSTRIAL KIT: AV06I / 171069

Cover a broad range of common industrial plumbing and electrical jobs on pipe and conduit through 4".

Saws (1 each): 3/4", 7/8", 1-1/8", 1-3/8", 1-1/2", 1-3/4", 2", 2-1/4", 2-1/2", 3", 3-1/4", 3-5/8", 3-3/4", 4-1/4", 4-1/2"

Arbors (1 each): M24K, M44, M45P Extension (1): 12"

MASTER TRADESMAN KIT: AV23M / 169356

Cover a broad range of common industrial maintenance, plumbing and electrical jobs on pipe and conduit through 4-1/2". Saws (1 each): 3/4", 7/8", 1", 1-1/8", 1-3/8", 1-1/2", 1-3/4", 2", 2-1/8", 2-1/4", 2-1/2", 2-11/16", 3", 3-1/4", 3-3/8", 3-5/8", 3-3/4", 4-1/8", 4-1/2", 4-3/4" Arbors (1 each): M34, M45P Pilot Drills (1 each): MPD4S01, MPD401 Extension (1): 12"







KIT CONTENT COMPARISON CHART FOR AV HOLE SAW KITS

Diam	eter			108EPO	\\ \tau_{\tau} \ \	JOZEPO AOZEPO	0k/	ak/	- AR /	.8/	OSM A	18/	.00/	30/	~ ~		<u></u>	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
Inches	mm	41,	108k	P	102k P	10,	10% K	JOAK	OAR A	1168	0, k	1018 P	1700/	103V K	102 ×	JOAL A	1081/6	106) P.
5/8	16										χ							
3/4	19							Х	Х		l "	Х	Х			Х	Х	χ
7/8	22	Χ	Χ	Х	Х		Х	X	χ	Х	Х	Х	Χ	χ	Χ	Х	Х	χ
1	25									X				Х	Χ	Х		χ
1-1/8	29	Χ	Χ	Х	Х		Х	Х	Х	Χ	Х	Х	Χ				Х	χ
1-1/4	32									χ				Х	Χ	Х		
1-3/8	35	Χ	Х	X	Х		Х			~	Х	Х				Х	Х	χ
1-1/2	38							Х	Х	Х	''	Х	Х	Ιx	Х	l x	Ιx	χ
1-5/8	41										Х							
1-3/4	44	Χ	Х	Х	Х		Х	Х	Х		l "	Х	Х	Х	Х	Х	Х	Х
2	51	χ	Χ	X	X		X	, and	Α,			Х				X	X	Х
2-1/8	54						, n				х			Х	Х	1		X
2-1/4	57							Х	Х		, "	Х				Х	Х	X
2-1/2	64	Х	Х	Х	Х		х		^			X	Х			X	x	χ
2-9/16	65	~	,,	, and	,		l "		Х							l "	l ~	,
2-11/16	68								^									Х
3	76	Х	Х			Х			χ							Х	χ	X
3-1/4	83	~	^			_ ^			^							^	x	X
3-3/8	86																_ ^	X
3-1/2	89								χ									
3-5/8	92	Χ	Х			Х			Λ								χ	Χ
3-3/4	95	,				_ ^											Ιχ̈́	Ϋ́
4	102								χ								_ ^	
4-1/8	105	Х	Х			Х			Α									Х
4-1/4	108					^			χ								Х	^
4-1/2	114	Х	Х			Х			X								Ιχ̈́	Х
4-3/4	121					^			Α								, n	χ
Arbor	Thread										•	•		•		•		
M24	1/2-20						l							l x				
M24K	1/2-20	х	Х									Х		l "			Х	
M24PD	1/2-20	l ^	X		Χ							_ ^					^_	
M25PD	5/8-18		x		X													
M34	1/2-20		^				Х		χ	χ	Х		Х		Χ	X		Х
M35PS	5/8-18						l ^		^	^	χ		_ ^		X	_ ^		_ ^ _
M44	1/2-20	Х		Х				Х			"	Х			^		Х	
M45P	5/8-18	χ		Ιχ̈́		Х	Х	Ιχ	χ			X	х	Х		Х	χ	х
ME12-12" Ex		_ ^		_ ^		_ ^	_ ^	_ ^	^			X	_ ^	_ ^		Ŷ	Ŷ	Ý

ARBORS

These heavy-duty, carbon steel arbors come complete with pilot drills. They adapt Morse Hole Saws to any power drill used by professionals.

PACKAGING: 1 per box – or 1 per card, 2 per standard pack



SDS arbors are used in tools having SDS chucks, to drive hole saws in rotary hammers or hammer drills having a straight rotary option.



SDS5/8QC SDS1/2QC

Arbors Complete with Pilot Drills

AIDUIS C	ompiete	with i iio	כווווס				_	
Product #	Computer #	Shank Size	Thread Size	Drill Number	Computer Number	Chuck Size	Fits Saws	Follow Through
M24K	140027	1/4 Round	1/2 - 20	MPD401	140775	1/4	*9/16" - 1-3/16"	3/4" - 1-1/2"
M24	140010	1/4 Hex	1/2 - 20	MPD4S01	140799	1/4	*9/16" - 1-3/16"	3/4" - 1-1/2"
M34	140041	3/8 Hex	1/2 - 20	MPD4S01	140799	3/8	*9/16" - 1-3/16"	3/4" - 1-1/2"
M44K	140089	7/16 Hex	1/2 - 20	MPD401	140775	1/2	9/16″ - 6″	1-1/2″ - 6″
M44	140072	7/16 Hex	1/2 - 20	MPD401	140775	1/2	*9/16" - 1-3/16"	3/4" - 1-1/2"
M35PS	140065	3/8 Hex	5/8 - 18	MPD4S01	140779	3/8	1-1/4" - 6"	1-1/2″ - 6″
M45	140140	7/16 Hex	5/8 - 18	MPD401	140775	1/2	1-1/4" - 2-3/8"	1-1/4" - 2-3/8"
M45P	140164	7/16 Hex	5/8 - 18	MPD401	140775	1/2	1-1/4" - 6"	1-1/2″ - 6″
M46PS	140201	7/16 Hex	5/8 - 18	MPD4S01	140799	1/2	1-1/4" - 6"	1-1/2″ - 6″
M55P	140218	5/8 Hex	5/8 - 18	MPD401	140775	3/4	1-1/4" - 6"	1-1/2″ - 6″
M34CT **	140898	3/8 Hex	1/2 - 20	MPD4SCT01	140874	3/8	3/4" - 1-3/16"	3/4" - 1-1/2"
M45PCT**	140904	7/16 Hex	5/8 - 18	MPD4CT01	140850	1/2	1-1/4" - 6"	1-1/2″ - 6″
M24PD	140188	1/4 Hex	1/2 - 20	TACPD325	120050	1/4	*9/16" - 1-3/16"	3/4" - 1-1/2"
M25PD	140119	1/4 Hex	5/8 - 18	TACPD325	120050	1/4	1-1/4" - 6"	7/8″ - 6″
SDS5/8QC	140928	SDS	5/8 - 18	MPD4S01	140799	SDS	1-1/4" - 6"	1-1/2″ - 6″
SDS1/2QC	140911	SDS	1/2 - 20	MPD4S01	140799	SDS	*9/16" - 1-3/16"	3/4" - 1-1/2"
Carded Arbo	rs							
M24C	140058	1/4 Hex	1/2-20	MPD4S01	140799	1/4	*9/16" - 1-3/16"	3/4″ - 1-1/2″
M24KC	140539	1/4 Round	1/2-20	MPD401	140775	1/4	*9/16" - 1-3/16"	3/4" - 1-1/2"
M34C	140546	3/8 Hex	1/2-20	MPD4S01	140799	3/8	*9/16" - 1-3/16"	3/4" - 1-1/2"
M35PSC	140553	3/8 Hex	5/8-18	MPD4S01	140799	3/8	1-1/4" - 6"	1-7/16″ - 6″
M44C	140560	7/16 Hex	5/8-18	MPD401	140775	1/2	9/16" - 1-3/16"	3/4" - 1-1/2"
M45PC	140577	7/16 Hex	5/8-18	MPD401	140775	1/2	1-1/4" - 6"	1-1/2″ - 6″
M24PDC	140942	1/4 Hex	1/2 - 20	TACPD325	120050	1/4	*9/16" - 1-3/16"	3/4" - 1-1/2"
M25PDC	140959	1/4 Hex	5/8 - 18	TACPD325	120050	1/4	1-1/4" - 6"	7/8″ - 6″

^{*}Hole saws, AV204, AV224, AV244, require the use of one of the arbors marked with an asterisk.

^{**}M34CT and M45PCT are carbide tipped for use with carbide tipped and carbide grit saws.



Fast-Adapt™ Chuck

Morse's Fast-Adapt Quick Change Chucks allow for fast keyless insertion and removal of any 1/4", 3/8", and 7/16" hex shank power tool accessories with standard power groove. Fits 3/8" and larger chucks.



Pilot Drills and Accessories

Arbor Kits

Prod #	Comp #	Description		Prod #	Comp #	Contains
MPD401	140775	4-5/16″ X 1/4″ (110mm X 6.5mm) Pilot Drill, shank ground 3 sides, split point	7	MK1		1 M24K
MPD4N01	140782	4" X 1/4" (102mm X 6.5mm) Pilot Drill, 3 notches for set screw		ARBOR KIT	140331	1MN1 Nut
MPD4S01	140799	3-1/16" X 1/4" (78mm X 6.5mm) Pilot Drill for M24, M34, M35PS arbors				1 M44K
TACPD4	120043	4-5/16" X1/4" (110mm X 6.5mm) Pilot Drill, Carded, 10 per pack				1 MN2 Nut
TACPD4S	122047	3-1/16" X 1/4" (78mm X 6.5mm) Pilot Drill, Carded, 10 per pack				
MPD4CT01	140850	4" X 1/4" (102mm X 6.5mm) Carbide Tipped Pilot Drill		MK2		1M24K
MPD4SCT01	140874	2-7/8" X 1/4" (83mm X 6.5mm) Carbide Tipped Pilot Drill		ARBOR KIT	140348	1 MN1 Nut
TACPD325	120050	3-1/4" X 1/4" (83mm X 6.5mm) Pilot Drill, Carded for M24PD, M25PD arbors				1 MN2 Nut
MES101	140805	Ejector Spring, fits all 1/4" pilot drills				
ME121	141123	12" (305mm) Extension for shank of 7/16" (10.5mm) arbors for 1/2" drill chuck				
ME381	140409	12" (305mm) Extension for shank of 3/8" (9.5mm) arbors for 3/8" or larger drill chuck		MK3		1 M44K
M44N01 Nut	140751	Adapts arbors with 1/2 - 20 threads to fit hole saws with 5/8 - 18 threads		ARBOR KIT	140355	1 MN1
M44NH01	140744	Hex Adapter Nut				1 MN2 Nut
MQC14	140386	Fast-Adapt Chuck fits 3/8" & larger chucks. Use with 1/4" shanks				
MQC38	140393	Fast-Adapt Chuck fits 3/8" & larger chucks. Use with 3/8" & 7/16" shanks				

REAL McCOY® BI-METAL HOLE SAWS

A premium line of professional quality hole saws with a built-in arbor for cutting holes in wood, plastic, or any machinable metal including nailembedded wood, plywood, pipe and stainless steel. Requires 4-5/16" pilot drill. See page 10.

PACKAGING: 1 per box

1 per card, 2 cards per standard pack



Attached 7/16" pass-through shank

Variable pitch positive rake teeth reduce vibration and clear chips to

and clear chips to improve cutting speed

M3 cutting edge teeth are shock resistant and longer lasting

	- 1	per card, 2 cards per standard pack					7		Sept.	cuts thic	ougn 2 x 4	45			
			Product	t Number	r	Pipe	Pipe		ww	1	Product	t Numbei	r	Pipe	Pipe
Diame Inches	ter*	Boxed Prod. #	Boxed Comp #	Carded Prod. #	Carded Comp #	Tap Size Inches	Ent. Size Inches	Diam	eter*	Boxed Prod. #	Boxed Comp #	Carded Prod. #	Carded Comp #	Tap Size Inches	Ent. Size Inches
9/16	14	TA09	110099	TAC09	120098			2-1/8	54	TA34	110341	TAC34	120340		
5/8	16	TA10	110105	TAC10	120104			2 1/0	55	TA345	115346	17.054	120340		
3, 3	16	TA105	115100	171010	120101			2-1/4	57	TA36	110365	TAC36	120364	2	
11/16	17	TA11	110112	TAC11	120111			2-5/16	59	TA37	110372	TAC37	120371		
3/4	19	TA12	110129	TAC12	120128	1/2	3/8	2-3/8	60	TA38	110389	TAC38	120388		
	20	TA125	115124					2-1/2	64	TA40	110402	TAC40	120401		2
13/16	21	TA13	110136	TAC13	120135			2-9/16	65	TA41	110419	TAC41	120418		_
7/8	22	TA14	110143	TAC14	120142	3/4	1/2	2-5/8	67	TA42	110426	TAC42	120425	2-1/2	
15/16	24	TA15	110150	TAC15	120159				68	TA425	115421				
	25	TA155	115155						68.5	TA435	115438				
1	25	TA16	110167	TAC16	120166			2-3/4	70	TA44	110440	TAC44	120449		
1-1/16	27	TA17	110174	TAC17	120173			2-7/8	73	TA46	110464	TAC46	120463		
1-1/8	29	TA18	110181	TAC18	120180	1	3/4		75	TA475	115476				
	30	TA185	115186					3	76	TA48	110488	TAC48	120487		2-1/2
1-3/16	30	TA19	110198	TAC19	120197			3-1/8	79	TA50	110501	TAC50	120500		
1-1/4	32	TA20	110204	TAC20	120203			3-1/4	83	TA52	110525	TAC52	120524	3	
	32	TA205	115209					3-3/8	86	TA54	110549	TAC54	120548		
1-5/16	33	TA21	110211	TAC21	120210			3-1/2	89	TA56	110563	TAC56	120562		
1-3/8	35	TA22	110228	TAC22	120227		1	3-5/8	92	TA58	110587	TAC58	120586		3
	35	TA225	115223					3-3/4	95	TA60	110600	TAC60	120609	3-1/2	
1-7/16	37	TA23	110235	TAC23	120234	1-1/4		3-7/8	98	TA62	110624	TAC62	120623		
1-1/2	38	TA24	110242	TAC24	120241				100	TA63	110631				
1-9/16	40	TA25	110259	TAC25	120258			4	102	TA64	110648	TAC64	120647		
	40	TA255	115254					4-1/8	105	TA66	110662	TAC66	120661		3-1/2
1-5/8	41	TA26	110266	TAC26	120265			4-1/4	108	TA68	110686	TAC68	120913	4	
1-11/16	43	TA27	110273	TAC27	120272			4-3/8	111	TA70	110709	TAC70	120920		
1-3/4	44	TA28	110280	TAC28	120289	1-1/2	1-1/4	4-1/2	114	TA72	110723	TAC72	120937		4
4 40/4 -	45	TA285	115285	T. CO.				4-3/4	121	TA76	110761	TAC76	120944	4-1/2	
1-13/16	46	TA29	110297	TAC29	120296			5	127	TA80	110808	TAC80	120951		
1-7/8	48	TA30	110303	TAC30	120302			5-1/2	140	TA88	110884	TAC88	120968		
	50	TA315	115315	T4 600			4.4.0	5-3/4	146	TA92	110921	TAC92	120975		
2	51	TA32	110327	TAC32	120326		1-1/2	6	152	TA96	110969	TAC96	120982		
2-1/16	52	TA33	110334	TAC33	120333										

^{*} Metric sizes shown in red are exact millimeter sizes. Metric sizes in black are approximate metric equivalents of exact inch sizes.

THE REAL McCOY® DEEP CUTTING HOLE SAWS

The 1-7/8" cutting depth provides extra depth for specialty cuts made by locksmiths, remodelers and general contractors alike. Easily cuts through 2×4 's, joists and most doors in one pass with extra clearance.

PACKAGING: 1 per box

7/16" hex shank arbor

Diam	neter			Pipe Tap Size	Pipe Ent. Size	Dian	neter			Pipe Tap Size	Pipe Ent. Size
Inches	mm	Product #	Comp #	Inches	Inches	Inches	mm	Product #	Comp #	Inches	Inches
3/4	19	TAD12	123006		3/8	2-3/8	60	TAD38	123242		
13/16	21	TAD13	123013			2-1/2	64	TAD40	123259		2
7/8	22	TAD14	123020	3/4	1/2	2-9/16	65	TAD41	123266		
15/16	24	TAD15	123037			2-5/8	67	TAD42	123273	2-1/2	
1	25	TAD16	123044			2-3/4	70	TAD44	123280		
1-1/16	27	TAD17	123051			2-7/8	73	TAD46	123297		
1-1/8	29	TAD18	123068	1	3/4	3	76	TAD48	123303		2-1/2
1-3/16	30	TAD19	123075			3-1/8	79	TAD50	123310		
1-1/4	32	TAD20	123082			3-1/4	83	TAD52	123327	3	
1-5/16	33	TAD21	123099			3-3/8	86	TAD54	123334		
1-3/8	35	TAD22	123105		1	3-1/2	89	TAD56	123341		
1-7/16	37	TAD23	123112	1-1/4		3-5/8	92	TAD58	123358		3
1-1/2	38	TAD24	123129			3-3/4	95	TAD60	123365	3-1/2	
1-9/16	40	TAD25	123136			3-7/8	98	TAD62	123372		
1-5/8	41	TAD26	123143			4	102	TAD64	123389		
1-11/16	43	TAD27	123150			4-1/8	105	TAD66	123396		3-1/2
1-3/4	44	TAD28	123167	1-1/2	1-1/4	4-1/4	108	TAD68	123402	4	
1-13/16	46	TAD29	123174			4-3/8	111	TAD70	123419		
1-7/8	48	TAD30	123181			4-1/2	114	TAD72	123426		4
2	51	TAD32	123198		1-1/2	4-3/4	121	TAD76	123433	4-1/2	
2-1/16	52	TAD33	123204			5	127	TAD80	123440		
2-1/8	54	TAD34	123211			5-1/2	140	TAD88	123457		
2-1/4	57	TAD36	123228	2		5-3/4	146	TAD92	123464		
2-5/16	59	TAD37	123235			6	152	TAD96	123471		

THE REAL McCOY® BI-METAL VARIABLE PITCH HOLE SAW KITS

These handy kits conveniently organize popular hole saw sizes for professional needs.

Standard Kits offer 1-1/2" cutting depth. 7/16" hex shank arbor. Deep Cut Kits offer 1-7/8" cutting depth. 7/16" hex shank arbor. For comparable metric sizes see charts on page 11.





ELECTRICIANS KIT: TA02E / 111027 DEEP CUT ELECTRICIANS KIT: TAD02E / 123495

Entrance sizes to 2°

Saws (1 each): 7/8", 1-1/8", 1-3/8", 1-3/4", 2", 2-1/2" Pilot Drills (3): 4-5/16"



Contains pipe tap sizes for pipe through 2". Saws (1 each): 3/4", 7/8", 1-1/8", 1-1/2", 1-3/4", 2-1/4" Pilot Drills (3): 4-5/16"



A handy general purpose kit for industrial, general purpose, plumbing and electrical jobs on pipe and conduit through 2".

Saws (1 each): 3/4", 7/8", 1-1/8", 1-3/8",

1-1/2", 1-3/4", 2", 2-1/4", 2-1/2"

Pilot Drills (4): 4-5/16" Extension (1): 12" (1) Flat Head Screwdriver



The 5 most popular hole saw sizes for construction, industrial and automotive aftermarket jobs. Saws (1 each): 7/8", 1", 1-1/8", 1-1/4", 1-1/2" Pilot Drills (1): 4-5/16"

LOCKSMITHS KIT: TA03L / 111034 DEEP CUT LOCKSMITHS KIT: TAD03L / 123501

Contains sizes for installation of popular locks, deadbolts, etc.

Saws (1 each): 3/4", 7/8", 1", 1-3/8", 1-1/2",

1-5/8", 1-3/4", 2-1/8" Pilot Drills (4): 4-5/16"

(1) Flat Head Screwdriver

LOCK INSTALLATION KIT: TACLKIT1 / 121019

The 2 most popular sizes for lock installation to assure accurate installation in wood or metal doors.

Saws (1 each): 1", 2-1/8" Pilot Drills (1): 4-5/16"

Packed: 1 kit per card, 2 per standard pack

HOME OWNERS UTILITY KIT: TAHUK01 / 110006

Specially designed for homeowners' most common uses including installation of locks and cable wires.

Saws (1 each): 3/4", 1", 1-1/2", 2-1/8"

Pilot Drills (1): 4-5/16"











KIT CONTENT COMPARISON CHART FOR TA HOLE SAW KITS



Diam	eter		02E*	OAP*	0 [*] / _V	05M/R	*	CIKIT	iJkO1
Inches	mm	18	76	2/ 16	5/ 1	76	76 YA	~ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	
3/4	19		Х	X		Х		Х	
7/8	22	Χ	Х	Х	χ	Х			
1	25				Χ	Х	Х	Х	
1-1/8	29	Χ	Х	Х	Χ				
1-1/4	32				χ				
1-3/8	35	Χ		Х		Х			
1-1/2	38		Х	χ	Х	Х		Χ	
1-5/8	41					Х			
1-3/4	44	χ	Х	χ		Х			
2	51	Χ		Х					
2-1/8	54					Х	χ	Χ	
2-1/4	57		Х	χ					
2-1/2	64	Χ		Χ					
Additional	Items								
Pilot Drills									
	110	3	3	4	1	4	1	1	
ME12-12" Ex	tension			χ					
Screwdrive	r			χ		Χ			

^{*} Also Available as Deep Cut Kits (TAD Model Numbers.)



COMBINATION HOLE SAW KITS

We've integrated various hole saws to provide more advanced cutting solutions for professionals. Morse Master Cobalt® bimetal hole saws are provided in both kits for smooth cuts in wood, plastic, stainless steel, nailembedded wood and other machinable metals.

ELECTRICIAN'S COMBINATION KIT: AVELE01 / 169776

The AVELE01 offers 16 bimetal and 9 carbide tipped hole saws in one convenient kit offering a broad range of popular diameters used by electricians. The carbide tipped hole saws included in this kit are designed for fast cuts in abrasive materials. Applications include fiberglass, drywall, aluminum and countertops.



PLUMBER'S COMBINATION KIT: AVPLU01 / 169783

For plumbers, M. K. Morse combined 13 bimetal and 9 carbide grit hole saws with diameters for cutting requirements through pipe tap and entrance sizes up to 4 inches (102mm). Carbide grit hole saws provide clean cuts in thin materials and cut very hard, abrasive materials such as hardened steel, cast iron, brick, cement, ceramics, computer flooring, composites and acoustic tile.

	/		<u>.</u>		18	NK /	318	182	314		18	NK.	12/2	9/16	11/6		18/	3.518		18	NK.	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	31h N	nors Pilot Drills
AVELEO1 BI-METAL CARBIDE TIP	•		(B) N	•	•		.37 ,	•	.376	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	•	•	ι'> ૧ ————————————————————————————————————	•	•	5/1	5) 7	53/ 1	•	***		* * *	<u> </u>	HSS (2)
AVPLU01 BI-METAL CARBIDE GRIT	•	•		•		•	•	•	•	•	•	•	•		•	•		•		•	•			HSS(2) 3-1/16" CT (2) 2-7/8"



SPADE BITS A popular item for boring small holes through wood. Angled spur design cuts accurate holes cleanly and quickly. Stem works with 1/4″ Fast-Adapt™

PACKAGING: 1 per card, 5 per standard pack

	10/Box		1/	Card		10	/Вох	1/	1/Card		
Description	Product #	Computer #	Product #	Computer #	Description	Product #	Computer #	Product #	Computer #		
1/4″	WSB250	125000	WSB250C	125307	13/16″	WSB812	125093	WSB812C	125390		
5/16″	WSB312	125017	WSB312C	125314	7/8″	WSB875	125109	WSB875C	125406		
3/8″	WSB375	125024	WSB375C	125321	15/16"	WSB937	125116	WSB937C	125413		
7/16″	WSB437	125031	WSB437C	125338	1″	WSB1000	125123	WSB1000C	125420		
1/2″	WSB500	125048	WSB500C	125345	1-1/8″	WSB1125	125130	WSB1125C	125437		
9/16″	WSB562	125055	WSB562C	125352	1-1/4″	WSB1250	125147	WSB1250C	125444		
5/8″	WSB625	125062	WSB625C	125369	1-3/8″	WSB1375	125154	WSB1375C	125451		
11/16″	WSB687	125079	WSB687C	125376	1-1/2″	WSB1500	125161	WSB1500C	125468		
3/4″	WSB750	125086	WSB750C	125383							

STEP DRILLS

An excellent tool for electrical contractors, sheetmetal workers and auto mechanics. Step drills are ideal for drilling repetitive holes in steel, copper, brass, plastic, plexiglas and other thin materials. Made of high speed steel with double fluted ground cutting edge for long life. **TiN (Titanium Nitride)** coated step drills are offered in our most popular sizes.

The coating on these step drills allows them to last up to six times longer than those made without TiN coating.

	1/1	Гube		1
Description	Product #	Computer #	Shank Inches	Point Type
1/8" - 1/2" by 32nds	ESD01	124003	1/4	Self-Starting
3/16" - 1/2" by 16ths	ESD02	124010	1/4	Self-Starting
3/16" - 7/8" by 16ths	ESD03	124027	3/8	Self-Starting
1/4" - 3/4" by 16ths	ESD04	124034	3/8	Self-Starting
1/4" - 1-1/8" by 16ths	ESD05	124041	3/8	Self-Starting
1/8" - 3/8" by 16ths	ESD06	124058	1/4	Self-Starting
1/8" - 1/2" by 16ths	ESD07	124065	1/4	Self-Starting
9/16" - 1" by 16ths	ESD08	124072	3/8	Hole Enlarging 1/2" or larger Pilot Holes
3/4" - 1-3/8" by 16ths	ESD09	124089	1/2	Hole Enlarging 3/4" or larger Pilot Holes
1/4" - 7/8" by 16ths	ESD10	124096	3/8	Self-Starting
1/4" - 1-3/8" by 8ths	ESD11	124102	3/8	Self-Starting
TiN Coated Step Drills				-
1/8" - 1/2" by 32nds	ESD01TiN	124119	1/4	Self-Starting
3/16" - 1/2" by 16ths	ESD02TiN	124126	1/4	Self-Starting
3/16" - 7/8" by 16ths	ESD03TiN	124133	3/8	Self-Starting
1/4" - 3/4" by 16ths	ESD04TiN	124140	3/8	Self-Starting

STEP DRILL KIT: ESDKIT01 / 124201


This kit offers 4 of the most popular step drill sizes for electrical, automotive and sheet metal applications. Contains: ESD01, ESD03, ESD04, ESD05

DOUBLE CUT AUGER BITS

These premium double fluted auger bits provide an excellent deep boring option in wood and nail-embedded wood applications. All Morse carbon steel auger bits have a self-feed screw point for effortless boring, and double-flute design for fast chip removal. Precision ground, heat-treated and tempered cutting edges cut through nails and are resharpenable. PACKAGING: 1 per tube

Bore Di	ameter				
Inches	mm	Length	Shank Size	Part Number	Computer #
3/8″	9.5	18″	7/16″*	WSAB180375	125505
7/16″	11	18″	7/16″*	WSAB180437	125512
1/2″	13	18″	7/16″*	WSAB180500	125529
9/16"	14	18″	7/16″*	WSAB180562	125536
5/8″	16	18″	7/16″*	WSAB180625	125543
11/16″	17	18″	7/16″*	WSAB180687	125550
3/4″	19	18″	7/16″*	WSAB180750	125567
13/16″	21	18″	7/16″*	WSAB180812	125574
7/8″	22	18″	7/16″*	WSAB180875	125581
15/16″	24	18″	7/16″*	WSAB180937	125598
1″	25	18″	7/16″*	WSAB181000	125604
1-1/16"	27	18″	7/16″*	WSAB181062	125611
1-1/8″	29	18″	7/16″*	WSAB181125	125628
1-1/4″	32	18″	7/16″*	WSAB181250	125635
1-3/8″	35	18″	7/16″*	WSAB181375	125642
1-1/2″	38	18″	7/16″*	WSAB181500	125659
5/8″	16	7-1/2″	7/16″*	WSAB750625	125666
11/16″	17	7-1/2″	7/16″*	WSAB750687	125673
3/4″	19	7-1/2″	7/16″*	WSAB750750	125680
13/16″	21	7-1/2″	7/16″*	WSAB750812	125697
7/8″	22	7-1/2″	7/16″*	WSAB750875	125703
15/16"	24	7-1/2″	7/16″*	WSAB750937	125710
1″	25	7-1/2″	7/16″*	WSAB751000	125727
1-1/8″	29	7-1/2″	7/16″*	WSAB751125	125734
1-1/4″	32	7-1/2″	7/16″*	WSAB751250	125741
1-3/8″	35	7-1/2″	7/16″*	WSAB751375	125758
1-1/2″	38	7-1/2″	7/16″*	WSAB751500	125765

^{*} Shanks are designed to work in Fast-Adapt™ MQC38 quick change chucks (pg 10) and standard chucks.



These files are designed for sharpening and extending the life of Morse auger and wood bits. Six inch slim taper file with attached wooden handle. PACKAGING: 1 per tube

SELF FEEDING WOOD BITS

Morse self feeding wood bits are precision ground for clean, accurate holes. They are designed with a threaded feed screw tip and a single chip lifter for fast, efficient chip removal. These bits can be resharpened using the Morse Auger/Wood bit file. PACKAGING: 1 per tube



Bore Di	ameter								
Inches	mm	Shank Size	Part Number	Computer #					
1″	25	7/16″*	WSF1000	123822					
1-1/8″	29	7/16″*	WSF1125	123839					
1-1/4″	32	7/16″*	WSF1250	123846					
1-3/8″	35	7/16″*	WSF1375	123853					
1-1/2″	38	7/16″*	WSF1500	123860					
1-3/4″	44	7/16″*	WSF1750	123877					
2″	51	7/16″*	WSF2000	123884					
2-1/8"	54	7/16″*	WSF2125	123891					
2-1/4"	57	7/16″*	WSF2250	123907					
2-9/16"	65	7/16″*	WSF2562	123914					
3″	76	7/16″*	WSF3000	123921					
3-5/8″	92	7/16″*	WSF3625	123938					
4-5/8"	118	7/16″*	WSF4625	123945					
5-1/2" Exte	ension	7/16″*	WSFEXT5	123990					
Self Feed	ing Wood	Bit Kits							
4 Piece Co	ntractor Kit		WSFKIT1	123952					
Contains: 1	1-3/8", 1-1/2	", 2-1/8", 2-9/1	6″						
8 Piece Co	ntractor Kit		WSFKIT2	123969					
Contains: 1	1″, 1-1/8″, 1-	1/4″, 1-3/8″, 1-	-1/2″, 1-3/4″						
2-1/8", 2-9,	/16″, 5-1/2″	Extension							
Screw Tip	Replacem	ent Kits							
For 1" to 2-	For 1" to 2-9/16" (25-65mm) bits WSFRKIT1 123976								
Contains: 3	Contains: 3 screw tips, 1 set screw, 1 hex key								
For 3" to 4	-5/8" (76-11	7mm) bits	WSFRKIT2	123983					
Contains: 3	3 screw tips,	1 set screw, 1	hex key						

^{*} Shanks are designed to work in Fast-Adapt™ MQC38 quick change chuck adaptors (pg 10) and standard chucks.



MASTER COBALT® RECIPROCATING SAW BLADES

The best blades in the world for cutting wood and metal, including steel, stainless steel, iron, sheetmetal and pipe. Master Cobalt® technology was painstakingly developed in the Morse Technology Center. Here we have tested the many variables affecting blade life and have discovered a unique combination of features that has tripled the life of standard reciprocating saw blades.

These are the longest lasting recips available. They cut more smoothly, more accurately and offer greater value. They are Master Cobalt®, available exclusively from M. K. Morse.

Master Cobalt® Reciprocating Saw Blades have conventional shanks.

ASTER COBALT


A wide variety of sizes brings long life cutting action to almost every professional cutting need.

MORSE MASTER COBALT

8% cobalt cutting edge is electron-beam welded to high strength steel backer for greater wear resistance and longer life. Available in 3 different thicknesses to meet flexibility and stiffness needs for various applications.







BI-METAL RECIPROCATING SAW BLADES

Over the years we have developed and refined a special manufacturing process designed to lengthen blade life. These are the blades good enough to be called Morse.


These extra-tough, professional quality blades are available for a wide variety of uses in wood, metal, plastics, fiberglass, plaster and other common building materials. We electron beam weld the Matrix II cutting edge to the backer so that we can control the process and quarantee quality.

Fits all popular reciprocating saw machines.

8% Cobalt edge offers more wear resistance

Matrix II cutting edge has shock resistant teeth that resist strippage

Available in a variety of blade thicknesses to meet flexibility and rigidity needs for different applications



Teeth	50/Tul	be	25/Tu	be	15/Tu	be	5/Tuk	e	2/Ca 5/Standaı	
Per Inch	Product	Comp #	Product	Comp #	Product	Comp #	Product	Comp		$\overline{}$
6	# RB606STT50	402125	#	#	#	#	# RB606STT05	402132	Product # RB606STC2	397261
2/3	RB125023T50	401616					RB125023T05	401593		
6 6 6	RB63506T50 RB93506T50 RB123506T50	400183 400169 400145	RB63506T25	398718	RB63506T15	398404	RB63506T05 RB93506T05 RB123506T05	400190 400176 400152		
6 6 6	RB65006T50 RB95006T50 RB125006T50	402057 402033 402149	RB65006T25 RB95006T25 RB125006T25	398732 398794 398633			RB65006T05 RB95006T05 RB125006T05	402040 402026 402156	RB65006C2 RB95006C2 RB125006C*	397339 397391 402286
5/8 5/8	RB125058T50 RB65058T50	398442 398503					RB65058T05	398510		
5/8 5/8	RB658T50	398558					RB125058STT05	398473		
8/12	RB850812T50	400947					RB850812T05	400930		
8/12 10/14	RB1250812T50 RB121014T50	400923 400107					RB1250812T05 RB121014T05	400916 400114		
10/14	RB6501014TT50	398534					RB6501014TT05	398541		
10/14	RB12501014T50	402088	RB12501014T25	398640			RB12501014T05	402095	RB12501014C*	402248
10/14	RB41014T50	402606					RB41014T05	402613		
10/14	RB61014T50	402019					RB61014T05	402002		
10/14 10/14	RB6501014T50 RB81014T50	399227 402101	RB81014T25	398756	RB81014T15	398411	RB6501014T05 RB81014T05	399234 402118	RB6501014C2 RB81014C2	397360 397407
10/14	RB12501014STT50	398428					RB12501014STT05	398435		
10/14 10 10	RB8501014T50 RB610T50 RB1210T50	402064 400381 400244	RB610T25	398664			RB8501014T05 RB610T05 RB1210T05	402071 400398 400251	RB8501014C2 RB610C2	397384 397285
10 10	RB810T50 RB1010T50	400466 402569	RB810T25	398749			RB810T05 RB1010T05	400473 402576		
10	RB65010T50	399593					RB65010T05	399609		
14 14 14 14 14	RB414T50 RB614T50 RB814T50 RB914T50 RB1214T50	400220 400404 400480 400992 400121	RB614T25 RB814T25	398671 398763	RB614T15	398381	RB414T05 RB614T05 RB814T05 RB914T05 RB1214T05	400237 400411 400497 400985 400138	RB614C2 RB814C2	397308 397377
14	RB65014T50 RB418T50	399616 400268					RB65014T05 RB418T05	399623 400275	RB418C2	397247
18 18 18	RB618T50 RB818T50 RB918T50	400428 402583 401012	RB618T25 RB818T25	398688 398770	RB618T15	398398	RB618T05 RB818T05 RB918T05 RB1018T05	400435 402590 401005	RB618C2	397315
18 18 18	RB1018T50 RB1218T50 RB65018T50	398480 400206 399630	RB1218T25	398619			RB1218T05 RB65018T05	398497 400213 399647		
24 24	RB424T50 RB624T50	400305 400442	RB624T25	398701			RB424T05 RB624T05	400312 400459	RB624C2	397322
6	RB606PT50	400343					RB606PT05	400350		
6	RB65006CT50	399500					RB65006CT05	399517		
18	RB318ST50	401982					RB318ST05	401999		
18	RB318ST50	401982					RB318ST05	401999		



THE REAL McRIPPER® DEMOLITION BLADES

Another Morse original. Specially designed for the toughest demolition jobs. Cuts all woods, nail-embedded wood and metals.

	Teeth Per	20/	Tube	3/	Гube		Card dard Pack
Description	Inch	Product #	Computer #	Product #	Computer #	Product #	Computer #
6″ X 7/8″ X .062	6	RB66206T20	398343	RB66206T03	398350		
9" X 7/8" X .062	6	RB96206T20	402415	RB96206T03	402422	RB96206C	397186
12" X 7/8" X .062	6	RB126206T20	398305	RB126206T03	398312	RB126206C	397209
6" X 7/8" X .062	10	RB66210T20	398367	RB66210T03	398374		
9" X 7/8" X .062	10	RB96210T20	402439	RB96210T03	402446		
12" X 7/8" X .062	10	RB126210T20	398329	RB126210T03	398336		



FIRE & RESCUE BLADES

When lives are on the line, only the best will do. These are the blades preferred by professional firefighters who know they can count on Morse.

	Teeth	20/Tub	e	3/Tube	•	1/Card 5/Standard Pack		
Description	Per Inch	Product #	Computer #	Product #	Computer #	Product #	Computer #	
6″ X 7/8″ X .062	10	RBFR66210WT20	403511	RBFR66210WT03	403665			
9″ X 7/8″ X .062	10	RBFR96210WT20	403528	RBFR96210WT03	403689			
12" X 7/8" X .062	10	RBFR126210WT20	403504	RBFR126210WT03	403702			
6" X 7/8" X .062	14	RBFR66214WT20	403542	RBFR66214WT03	403672	RBFR66214WC	397117	
9" X 7/8" X .062	14	RBFR96214WT20	403559	RBFR96214WT03	403696	RBFR96214WC	397131	
12" X 7/8" X .062	14	RBFR126214WT20	403535	RBFR126214WT03	403719	RBFR126214WC	397155	

U-SHANK BI-METAL BLADES

Specially designed for sawing pipes and metal sections.
Fits saws from manufacturers like REMS, Roller's, Ridgid and Flex.

	Length X W	dth X Thickness	Teeth Per	5/P	ouch
Recommended Use	Inches	mm	Inch	Product #	Computer #
Cuts thin wall metal and plastic pipe up to 6" diameter.	12 X 1 X .050	300 X 25 X 1.3	6	RBU1206P	403641
Cuts pipe up to 2" diameter.	5-1/2 X 1 X .062	140 X 25 X 1.6	8	RBU5508P	400015
Cuts pipe up to 4" diameter.	8 X 1 X .062	200 X 25 X 1.6	8	RBU808P	400053
Cuts pipe up to 6" diameter.	10-1/2 X 1 X .062	263 X 25 X 1.6	8	RBU10508P	399975
Cuts thin wall metal and plastic pipe up to 6" diameter.	12 X 1 X .062	300 X 25 X 1.6	8	RBU1208P	403610
Cuts thin wall metal and plastic pipe up to 2" diameter.	5-1/2 X 1 X .035	140 X 25 X .9	14	RBU5514P	400039
Cuts thin wall metal and plastic pipe up to 4" diameter.	8 X 1 X .035	200 X 25 X .9	14	RBU814P	400077
Cuts thin wall metal and plastic pipe up to 6" diameter.	12 X 1 X .035	300 X 25 X .9	14	RBU1214P	403627

BI-METAL RECIP KITS & ASSORTMENT POUCH

Handy assortments of our most popular sizes in tough high-strength polystyrene boxes. Assortment Pouch has see-through vinyl side.





Description	Product #	Computer #	Contains
Contractor General Use Kit	RBKIT01	405003	(7) ea.: RB618, RB63506, RB658, RB610, RB614, RB61014
Contractor Heavy Duty Kit	RBKIT02	405010	(5) ea: RB65058, RB65010, RB65014, RB65018 / (10) ea: RB65006
Demolition Kit	RBKIT03	405027	(5) ea: RB65006, RB65058, RB65010 / (4) ea: RB66206 / (8) ea: RB66210
Assortment Pouch	RBP01	403030	(1) ea: RB414, RB418, RB614, RB618, RB65006

TUNGSTEN CARBIDE TIPPED BLADES

For cutting abrasive materials that still require the cutting action of teeth. Carbide tips are welded to alloy backs and then ground to create a clean, accurate cutting edge.

	Length X Width X Thickness		ength X Width X Thickness Teeth Per 25/Tube		3/T	ube	1/Card 5/Standard Pack		
Recommended Use	Inches	mm	Inch	Product #	Computer #	Product #	Computer #	Product #	Computer #
Plaster over lath, fiberglass, wood,	6 X 3/4 X .050	150 X 20 X 1.3	3	RTCT603T25	403122	RTCT603T03	403443	RTCT603C	403047
non-ferrous metal, cement board,	6 X 3/4 X .050	150 X 20 X 1.3	6	RTCT606ST25	403139	RTCT606ST03	403450	RTCT606SC	403054
pressure treated lumber, hardwood,	9 X 3/4 X .050	225 X 20 X 1.3	3	RTCT903T25	403146	RTCT903T03	403467	RTCT903C	403061
and particle board.	9 X 3/4 X .050	225 X 20 X 1.3	6	RTCT906T25	403153	RTCT906T03	403474	RTCT906C	403078
	12 X 3/4 X .050	300 X 20 X 1.3	3	RTCT1203T25	403108	RTCT1203T03	403481	RTCT1203C	403085
	12 X 3/4 X .050	300 X 20 X 1.3	6	RTCT1206T25	403115	RTCT1206T03	403498	RTCT1206C	403092

TUNGSTEN CARBIDE GRIT BLADES

Cutting edges have carbide grains bonded to an alloy backer and will not snag. Their super resistance to heat and shock make them ideal for cutting materials too hard or abrasive for standard bi-metal blades.



RTCG8T03

403382

RCTCG8

402774

Length X Width X Thickness **Recommended Use** Product # Computer # Product # Computer # Inches Product # Computer # Cutting fiberglass, lath, plaster, ceram-RTCG4T25 402910 RCTCG4 ics, soil pipe, laminates, marble and 150 RTCG6T25 402927 RTCG6T03 403375 RCTCG6 402767

RTCG8T25

200

JAB SAW

hardened steel.

A versatile tool that accepts both reciprocating saw and hack saw blades to make a compact hand saw. Heavy duty ergonomic handle design allows for quick change of blades for various applications. Unlike fixed blade jab saws, worn blades can be easily replaced. Use for cutting plaster, drywall, wood and metal in confined spaces. Comes equipped with a 6" .050 thick 6 TPI bi-metal reciprocating saw blade.



PACKAGING: 1 per card / 6 cards per box

402934

Description	Part Number	Computer #
Jab saw with 6".050 6TPI blade	JSHRBC01	397063


BI-METAL AIR SAW BLADES

These blades are specially designed for use in pneumatic saws. Blades have fine teeth for cutting metal. Very popular within autobody/muffler shops or other metal fabricating shops.





Length X Width X Thickness		Teeth Per	25/T	ube	5/Tube		
Inches	mm	Inch	Product #	Computer #	Product #	Computer #	
3 X 1/2 X .025	75 X 12.7 X .6	14	RBA314T25	398572	RBA314T05	398220	
3 X 1/2 X .025	75 X 12.7 X .6	18	RBA318T25	398589	RBA318T05	398244	
3 X 1/2 X .025	75 X 12.7 X .6	24	RBA324T25	398596	RBA324T05	398268	
3 X 1/2 X .025	75 X 12.7 X .6	32	RBA332T25	398602	RBA332T05	398282	
4 X 1/2 X .025	100 X 12.7 X .6	14	RBA414T25	397513	RBA414T05	397506	
4 X 1/2 X .025	100 X 12.7 X .6	18	RBA418T25	397537	RBA418T05	397520	
4 X 1/2 X .025	100 X 12.7 X .6	24	RBA424T25	397551	RBA424T05	397544	
4 X 1/2 X .025	100 X 12.7 X .6	32	RBA432T25	397575	RBA432T05	397568	



BI-METAL BLADES

For cutting ferrous and non-ferrous metals. Hard, durable high speed steel tooth points electron beam welded to a spring steel backer for toughness and stability during cutting.

	Length X Width	Teeth	25/	25/Tube		Card Indard pack	2/Card 5/per standard pack		Tooth	
Recommended Use	Inches	mm	per Inch	Prod #	Comp#	Prod #	Comp #	Prod #	Comp #	Style
UNIVERSAL SHANK: Use	ed on all popular jig	saw machines a	ccepting	universal s	hank.					
Wood, fiber board, asbestos, coarse-cut.	4 X 3/8 X .035	100 X 10 X .9	6	SB3606T25	400855	SB3606C5	404549	SB3606C2	397636	М
Wood, plywood, hard-board. Non-ferrous metals, Fiberglass, hard rubber, nail-embedded wood.	4 X 3/8 X .035 4 X 3/8 X .035	100 X 10 X .9 100 X 10 X .9	10 14	SB3610T25 SB3614T25	400879 400893	SB3610C5 SB3614C5	404556 404563	SB3610C2 SB3614C2	397643 397650	M M
Metal 18 gauge to 1/8". Metal and non-ferrous metal up to 1/8".	3 X 3/8 X .035 3 X 3/8 X .035	75 X 10 X .9 75 X 10 X .9	18 24	SB2718T25 SB2724T25	400794 400831	SB2718C5 SB2724C5	404518 404525	SB2718C2 SB2724C2	397612 397629	M M
Scroll - non-ferrous metals, fiberglass, plywood.	3-5/8 X 3/16 X .035	92 X 5 X .9	12	SB412ST25	399487	SB412SC5	404532	SB412SC2	397667	М
Scroll - metal 18 gauge to 1/8″	2-3/4 X 3/16 X .035	70 X 5 X .9	18	SB2718ST25	402972	SB2718SC5	404501	SB2718SC2	397605	М
T-SHANK: Used on all po	pular jig saw machi	nes accepting B	osch or	T-shank.						
Wood, fiber board, asbestos, roughing work.	4 X 5/16 X .040	100 X 8 X 1.0	6	SB0406T25	400732	SB0406C5	404600	SB0406C2	397704	М
General purpose - wood cutting, compositions, plastic.	4 X 5/16 X .035	100 X 8 X .9	8	SB0408T25	400756	SB0408C5	404617	SB0408C2	397711	М
All woods, composition material, plastics, plywood.	4 X 5/16 X .035	100 X 8 X .9	10	SB0410T25	400770	SB0410C5	404624	SB0410C2	397728	М
Steel and non-ferrous Metal 1/8" thick and up.	3 X 3/8 X .035	75 X 10 X .9	14	SB0314T25	400671	SB0314C5	404570	SB0314C2	397674	М
Metals over 18 gauge, tubing, conduit.	3 X 3/8 X .035	75 X 10 X .9	18	SB0318T25	400695	SB0318C5	404587	SB0318C2	397681	М
Thin metal, plastic fine cuts under 18 gauge	3 X 3/8 X .035	75 X 10 X .9	24	SB0324T25	400718	SB0324C5	404594	SB0324C2	397698	M
Softwood, aluminum, non - ferrous metal up to 3/8", sandwich material up to 3-3/4". Extra long blade.	5-1/4 X 5/16 X .042 5-1/4 X 5/16 X .042	132 X 8 X 1.1 132 X 8 X 1.1	12 21	SB0512LT25 SB0521LT25	401272 401319	SB0512LC5 SB0521LC5	404631 404648			M M

JIG SAW BLADE ASSORTMENTS

6-piece assortments offer lots of versatility; packaged in a vinyl pouch.

			1							
Product #	Computer #	Shank	One Each (6 Pieces/Pouch)	Pouch						
UNIVERSAL SHANK:	Used on all popular jig	saw machines accepting uni	versal shank.							
SB1P	401173	1/4″ Universal Shank	SB3606, SB3610, SB3614, SB2718, SB2724, SB412S	Vinyl						
SC1P SBC01	401418 402163	1/4″ Universal Shank 1/4″ Universal Shank	SC406, (2)SC410, SC410R, SC2720, SC412S SB2718, SB2724, SB3606, SB3610, SB3614	Vinyl Carded						
T-SHANK: Used on all popular jig saw machines accepting Bosch or T-shank.										
SB2P	401531	T-Shank	SB0406, SB0410, SB0314, (2)SB0318, SB0324	Vinyl						
SC2P	401432	T-Shank	SC0406, (2)SC0410, SC0410R, SC0416S, SC0320S	Vinyl						



	Length X Widt	h X Thickness	Teeth 25/		ube	5/C	ard	2/C	ard	Toot
Recommended Use	Inches	mm	Inch	Prod #	Comp #	Prod #	Comp #	Prod #	Comp #	Style
UNIVERSAL SHANK: Used on all popular	jig saw machines a	ccepting univer	sal shai	nk.						
Softwood, hardwood, plywood, chipboard, plastic up to 2" thick. Clean/fast cutting.	4 X 5/16 X .050	100 X 8 X 1.3	6	SC406T25	399722	SC406C5	404853	SC406C2	397865	CGR
Softwood, hardwood, plywood, chipboard, plastic up to 1″ thick. Very clean cuts.	4 X 5/16 X .050	100 X 8 X 1.3	10	SC410T25	399746	SC410C5	404860	SC410C2	397889	CGR
Reverse tooth - non-splitting cuts of laminates, and chipboard. Very clean cutting.	4 X 5/16 X .060	100 X 8 X 1.5	10	SC410RT25	399739	SC410RC5	404877	SC410RC2	397872	CGR
Scroll cutting wood, plywood, plastics 1/4" to 1" thick. Smooth cuts.	3-5/8 X 5/16 X .035	92 X 8 X .9	12	SC412ST25	399760	SC412SC5	404822	SC412SC2	397896	М
Scroll cutting wood, plywood, plastics 1/4" to 1" thick. Smooth cuts.	2-3/4 X 1/4 X .035	70 X 6 X .9	12	SC2712T25	399678	SC2712C5	404808	SC2712C2	397827	М
Scroll cutting wood, plywoods, etc. Super fine finish. Ground, taper back.	2-3/4 X 3/16 X .050	70 X 5 X 1.3	20	SC2720T25	399692	SC2720C5	404815	SC2720C2	397834	CGR
T-SHANK: Used on all popular jig saw mad	chines accepting Bo	osch or T-shank			1		1			
Softwood, hardwood, plywood, chipboard. Fast coarse cutting.	4 X 5/16 X .050	100 X 8 X 1.3	6	SC046T25	401401	SC046C5	404914	SC046C2	397964	М
Softwood, hardwood, plywood, chipboard, plastic up to 2" thick. Clean/fast cutting.	4 X 5/16 X .060	100 X 8 X 1.5	6	SC0406T25	400329	SC0406C5	404921	SC0406C2	397926	CGR
Softwood, hardwood, plywood, chipboard, plastic up to 1″ thick. Very clean cuts.	4 X 5/16 X .060	100 X 8 X 1.5	10	SC0410T25	400510	SC0410C5	404938	SC0410C2	397940	CGR
Reverse tooth — non-splitting cuts of laminates, and chipboard. Very clean cutting.	4 X 5/16 X .060	100 X 8 X 1.5	10	SCO410RT25	400503	SCO410RC5	404945	SCO410RC2	397933	CGR
Curved cuts/scroll in softwood and hardwood up to 1″ thick. Fast cutting.	3 X 5/32 X .040	75 X 4 X 1	12	SC0312ST25	401142	SC0312SC5	404884	SC0312SC2	397902	М
Curved cuts/scroll in softwood and hardwood up to 1" thick. Fast cutting.	3 X 3/16 X .050	75 X 5 X 1.3	20	SC0320ST25	401364	SC0320SC5	404891	SC0320SC2	397919	CGR
Curved cuts/scroll in softwood and hardwood	4 X 1/4 X .050	100 X 6 X 1.3	6	SC0416ST25	400534	SCO416SC5	404907	SCO416SC2	397957	CGR

TOOTH STYLE: M (Milled) **CGR** (Cross Sharpened, Conical Ground)



For cutting ferrous and non-ferrous metals. Hard, durable high speed steel tooth points electron beam welded to a spring steel backer for toughness and stability during cutting.

Morse SBB314

PACKAGING: 5 per card, 10 cards per standard pack

	Length X Width		25/Tube		5/Card		
Recommended Use	Inches	mm	Per Inch	Product #	Computer #	Product #	Computer #
Wood, plastic, composites.	3 X 3/8 X .035	75 X 10 X .9	6	SBB306T25	400619	SBB306C5	404686
Wood, composites, non-ferrous metals, medium-smooth finish.	3 X 3/8 X .035	75 X 10 X .9	10	SBB310T25	400633	SBB310C5	404693
Steel and non-ferrous metals 1/8" thick and above - plastic, asbestos, fiberglass, hard rubber and fiber.	3 X 3/8 X .035	75 X 10 X .9	14	SBB314T25	400657	SBB314C5	404709
Metal over 1/8" thick, plastic, fiberglass.	1-3/4 X 1/4 X .035	45 X 6 X .9	14	SBB214T25	400558	SBB214C5	404655
Heavy gauge metal - 18 gauge to 1/8".	1-3/4 X 1/4 X .035	45 X 6 X .9	18	SBB218T25	400572	SBB218C5	404662
Metal - 18 gauge and under.	1-3/4 X 1/4 X .035	45 X 6 X .9	24	SBB224T25	400596	SBB224C5	404679

CARBIDE GRIT JIG SAW BLADES

For cutting materials too hard, abrasive or thin for bi-metal blades. Tungsten carbide grains are bonded to alloy body creating smooth cutting blades that won't tear thin materials and offer a long life when cutting difficult materials.


Cuts fiberglass, lath, plaster, ceramic tile, soil pipe, composites, particleboard, laminates, hardwood flooring, marble, hardened steel, and more.



	25	/Tube	1/Card - 5/Standard Pack			
Description	Product #	Computer#	Product #	Computer#		
2-3/4″ Fine Grit Saw	STCG27-FT25	402859	SCTCG27-F	402699		
2-3/4" Medium Grit Saw	STCG27-MT25	402866	SCTCG27-M	402705		
2-3/4" Coarse Grit Saw	STCG27-CT25	402873	SCTCG27-C	402712		
3-5/8″ Fine Grit Saw	STCG36-FT25	402880	SCTCG36-F	402729		
3-5/8″ Medium Grit Saw	STCG36-MT25	402897	SCTCG36-M	402736		
3-5/8" Course Grit Saw	STCG36-CT25	402903	SCTCG36-C	402743		



	25/1	Гube	1/Card - 5/Standard Pack			
Description	Product #	Computer#	Product #	Computer#		
4" Fine Grit Saw	SOTCG4-FT25	402828	SCOTCG4-F	402668		
4″ Medium Grit Saw	SOTCG4-MT25	402835	SCOTCG4-M	402675		
4" Course Grit Saw	SOTCG4-CT25	402842	SCOTCG4-C	402682		



among competitive blades.

offer reliable performance.

Use on machinable metals, including stainless steel, pipe, tubing and solids. Premium variable pitch blades offer high heat, wear and shock resistance. Variable pitch allows a broader range of

Use on machinable metals, including stainless steel, pipe, tubing and solids. Premium straight

pitch blades offer high resistance to heat, wear and shock contributing to longer blade life.

Use for cutting wood and easy to machine metals. Carbon hard edge/flex back blades

Use on easy to machine metals. These economical blades are straight pitch.

applications and reduced vibration when cutting. This combination results in the longest blade life

Master Cobalt® Bi-Metal

Stationary Band Saw Blades

Standard Bi-Metal

Carbon Steel

MASTER COBALT®

These premium bi-metal blades feature Matrix II cutting edges and the longest life compared to any competitive blades. Variable pitch teeth reduce vibration.

PACKAGING: 3 per box & 5 per box - 20 boxes per carton. BULK: 100 blades of specification per carton.

Length				Boxed 3/box		Boxed 5	/box	Bulk 100/carton	
Inches	mm	TPI	Set	Product #	Comp. #	Product #	Comp. #	Product #	Comp. #
VARIABLE PITCH									
44-7/8 X 1/2 X .020	1140 X 12.7 X .50	10/14	Modified Raker	ZWEP441014MC	001175	ZWEP441014MCB5	002370	ZWEP441014MCB	002233
44-7/8 X 1/2 X .020	1140 X 12.7 X .50	14/18	Wavy	ZWEP441418MC	001182			ZWEP441418MCB	002240
44-7/8 X 1/2 X .020	1140 X 12.7 X .50	20/24	Wavy	ZWEP442024MC	001199	ZWEP442024MCB5	002363	ZWEP442024MCB	002257
44-7/8 X 1/2 X .025*	1140 X 12.7 X .63	10/14	Modified Raker	ZWEP44251014	001953				
44-7/8 X 1/2 X .025*	1140 X 12.7 X .63	14/18	Modified Raker	ZWEP44251418	001960				

*HEAVY DUTY .025 BLADES

STANDARD BI-METAL

With Matrix II cutting edges and straight pitch teeth, these blades cut fast and last a long time with reduced breakage. PACKAGING: 3 per box, 20 boxes per carton (15 per carton for blades over 53".) BULK: 100 blades of spec per carton.

•	-								
Leng	jth			Вохес	l 3/box	Bulk 10	0/carton	1/Card - 5/S	tandard Pack
Inches	mm	TPI	Set	Product #	Computer #	Product #	Computer #	Product #	Computer #
STANDARD PITCH									
44-7/8 X 1/2 X .020	1140 X 12.7 X .50	10	Raker	ZWEP4410R	001205	ZWEP4410RB	002158	ZCWEAD10	000017
44-7/8 X 1/2 X .020	1140 X 12.7 X .50	14	Wavy	ZWEP4414W	001212	ZWEP4414WB	002165	ZCWEAD14	000024
44-7/8 X 1/2 X .020	1140 X 12.7 X .50	18	Wavy	ZWEP4418W	001229	ZWEP4418WB	002172	ZCWEAD18	000031
44-7/8 X 1/2 X .020	1140 X 12.7 X .50	24	Wavy	ZWEP4424W	001236	ZWEP4424WB	002189	ZCWEAD24	000048
44-7/8 X 1/2 X .025*	1140 X 12.7 X .63	14	Wavy	ZWEP442514W	001939				
44-7/8 X 1/2 X .025*	1140 X 12.7 X .63	18	Wavy	ZWEP442518W	001946				
53-3/4 X 1/2 X .020	1365 X 12.7 X .50	10	Raker	ZWEP5310R	001274	ZWEP5310RB	002196		
53-3/4 X 1/2 X .020	1365 X 12.7 X .50	14	Wavy	ZWEP5314W	001281	ZWEP5314WB	002202		
53-3/4 X 1/2 X .020	1365 X 12.7 X .50	18	Wavy	ZWEP5318W	001298	ZWEP5318WB	002219		
53-3/4 X 1/2 X .020	1365 X 12.7 X .50	24	Wavy	ZWEP5324W	001304	ZWEP5324WB	002226		
53-3/4 X 1/2 X .020	1365 X 12.7 X .50	10/14	Raker	ZWEP531014	001311	ZWEP531014B	002264		
53-3/4 X 1/2 X .020	1365 X 12.7 X .50	14/18	Wavy	ZWEP531418	001328				
54 X 1/2 X .025	1372 X 12.7 X 6.4	10	Raker	ZWEP5410R	001342	ZWEP5410RB	001588		
54 X 1/2 X .025	1372 X 12.7 X 6.4	14	Wavy	ZWEP5414W	001359	ZWEP5414WB	001595		
54 X 1/2 X .025	1372 X 12.7 X 6.4	18	Wavy	ZWEP5418W	001366	ZWEP5418WB	001601		
54 X 1/2 X .025	1372 X 12.7 X 6.4	24	Wavy	ZWEP5424W	001373	ZWEP5424WB	001618		

*HEAVY DUTY .025 BLADES

NEW SIZES

The same premium bi-metal blades in shorter lengths to fit smaller portable band saw machines. Available in standard bi-metal and Master Cobalt. PACKAGING: 3 per box - 20 boxes per carton.

	Leng	gth			Boxed 3	/box	Bulk 100/carton		
	Inches	mm	TPI	Set	Product #	Comp#	Product #	Comp #	
32-7	7/8 X 1/2 X .020	835 X 12.7 X .50	10	Raker	ZWEP3210R	001885	ZWEP3210RB	003254	
_	7/8 X 1/2 X .020	835 X 12.7 X .50	14	Wavy	ZWEP3214W	001908	ZWEP3214WB	003261	
32-7	7/8 X 1/2 X .020	835 X 12.7 X .50	18	Wavy	ZWEP3218W	001915	ZWEP3218WB	003278	
32-7	7/8 X 1/2 X .020	835 X 12.7 X .50	24	Wavy	ZWEP3224W	001922	ZWEP3224WB	003285	
32-7	7/8 X 1/2 X .020	835 X 12.7 X .50	10/14	Modified Raker	ZWEP321014MC	001861	ZWEP321014MCB	003292	
32-7	7/8 X 1/2 X .020	835 X 12.7 X .50	14/18	Modified Raker	ZWEP321418MC	001892	ZWEP321418MCB	003308	
32-7	7/8 X 1/2 X .020	835 X 12.7 X .50	20/24	Modified Raker	ZWEP322024MC	001878	ZWEP322024MCB	003315	
35-3	3/8 X 1/2 X .020	899 X 12.7 X .50	10	Raker	ZWEP3510R	003001	ZWEP3510RB	003407	
35-3	3/8 X 1/2 X .020	899 X 12.7 X .50	14	Wavy	ZWEP3514W	003018	ZWEP3514WB	003414	
35-3	3/8 X 1/2 X .020	899 X 12.7 X .50	18	Wavy	ZWEP3518W	003025	ZWEP3518WB	003421	
35-3	3/8 X 1/2 X .020	899 X 12.7 X .50	24	Wavy	ZWEP3524W	003032	ZWEP3524WB	003438	
35-3	3/8 X 1/2 X .020	899 X 12.7 X .50	10/14	Modified Raker	ZWEP351014MC	003049	ZWEP351014MCB	003445	
35-3	3/8 X 1/2 X .020	899 X 12.7 X .50	14/18	Modified Raker	ZWEP351418MC	003056	ZWEP351418MCB	003452	
35-3	3/8 X 1/2 X .020	899 X 12.7 X .50	20/24	Modified Raker	ZWEP352024MC	003063	ZWEP352024MCB	003469	



25 PACK PORTABLE BAND SAW BLADES

Morse is now offering our most popular sizes of bi-metal portable band saw blades in easy-to-store, 25 pack dispenser boxes.

PACKAGING: 25 blades per box.

Ler	Length Inches mm				
Inches			Set	Product #	Computer #
STANDARD PITCH					
44-7/8 X 1/2 X .020	1140 X 12.7 X .50	14	Wavy	ZWEP4414WB25	002318
44-7/8 X 1/2 X .020	1140 X 12.7 X .50	18	Wavy	ZWEP4418WB25	002301
44-7/8 X 1/2 X .025	1140 X 12.7 X .63	14	Wavy	ZWEP442514WB25	001977
44-7/8 X 1/2 X .025	1140 X 12.7 X .63	18	Wavy	ZWEP442518WB25	001984
VARIABLE PITCH					
44-7/8 X 1/2 X .020	1140 X 12.7 X .50	10/14	Wavy	ZWEP441014MCB25	002356
44-7/8 X 1/2 X .020	1140 X 12.7 X .50	14/18	Wavy	ZWEP441418MCB25	002295
44-7/8 X 1/2 X .025	1140 X 12.7 X .63	10/14	Modified Raker	ZWEP44251014B25	001991
44-7/8 X 1/2 X .025	1140 X 12.7 X .63	14/18	Modified Raker	ZWEP44251418B25	002004



CARBON BLADES

These economical blades are milled from solid carbon steel. Suitable for use on easier-to-machine metals, including pipe, tubing and solids.

PACKAGING: 3 blades per box, 20 boxes per carton (15/carton for blades over 53".) BULK: 100 blades of spec. per carton.

Len	Length			Box	ked	Bulk		
Inches	mm	TPI	Set	Product #	Computer #	Product #	Computer #	
STANDARD PITCH								
44-7/8 X 1/2 X .020	1140 X 12.7 X .50	6	Raker	ZHEP4406	001533	ZHEP4406B	001656	
44-7/8 X 1/2 X .020	1140 X 12.7 X .50	10	Raker	ZHEP4410	001410	ZHEP4410B	001663	
44-7/8 X 1/2 X .020	1140 X 12.7 X .50	14	Wavy	ZHEP4414W	001427	ZHEP4414WB	001670	
44-7/8 X 1/2 X .020	1140 X 12.7 X .50	18	Wavy	ZHEP4418W	001434	ZHEP4418WB	001687	
44-7/8 X 1/2 X .020	1140 X 12.7 X .50	24	Wavy	ZHEP4424W	001441	ZHEP4424WB	001694	
53-3/4 X 1/2 X .020	1365 X 12.7 X .50	10	Raker	ZHEP5310	001458	ZHEP5310B	001700	
53-3/4 X 1/2 X .020	1365 X 12.7 X .50	14	Wavy	ZHEP5314W	001465	ZHEP5314WB	001717	
53-3/4 X 1/2 X .020	1365 X 12.7 X .50	18	Wavy	ZHEP5318W	001472	ZHEP5318WB	001724	
53-3/4 X 1/2 X .020	1365 X 12.7 X .50	24	Wavy	ZHEP5324W	001489	ZHEP5324WB	001731	
54 X 1/2 X .025	1372 X 12.7 X 6.4	10	Raker	ZHEP5410	001496	ZHEP5410B	001540	
54 X 1/2 X .025	1372 X 12.7 X 6.4	14	Wavy	ZHEP5414W	001502	ZHEP5414WB	001557	
54 X 1/2 X .025	1372 X 12.7 X 6.4	18	Wavy	ZHEP5418W	001519	ZHEP5418WB	001526	
54 X 1/2 X .025	1372 X 12.7 X 6.4	24	Wavy	ZHEP5424W	001564	ZHEP5424WB	001571	

STATIONARY BAND SAW BLADES

These blades are designed for use on stationary band saws. All are manufactured from carbon hard edge flexible back material with teeth hardened to Rc 64-66. They provide reliable cutting action on wood and metals with guaranteed welds.

PACKAGING: 1 blade per card. 5 cards per box.



Selection Guide - Carbon Hard Edge Flexible Back

									Teeth I	er Inch							
Length X Widtl	n X Thickness	O)3	O)4	C	16	0	8	1	4	1	8	2	4	3	2
Inches	mm	Prod #	Comp #	Prod #	Comp #	Prod #	Comp #	Prod #	Comp #	Prod #	Comp #	Prod#	Comp #	Prod #	Comp #	Prod #	Comp #
52-3/4 X 1/8 X .018	1340 X 3.2 X .5							ZCAA08A	002509	ZCAA14A	002516						
52-3/4 X 1/4 X .014	1340 X 6.4 X .3					ZCAB06	000178			ZCAB14	000185	ZCAB18	000192	ZCAB24	000208	ZCAB32	000215
56-1/8 X 1/8 X .018	1426 X 3.2 X .5							ZCBA08A	002523	ZCBA14A	002530						
56-1/8 X 1/4 X .014	1426 X 6.4 X .3					ZCBB06	000246			ZCBB14	000253	ZCBB18	000260	ZCBB24	000277	ZCBB32	000284
56-1/8 X 3/8 X .014	1426 X 9.5 X .3					ZCBC06	000673										
57 X 1/8 X .018	1448 X 3.2 X .5							ZCCA08A	002547	ZCCA14A	002554						
57 X 1/4 X .014	1448 X 6.4 X .3					ZCCB06	000314			ZCCB14	000321	ZCCB18	000338	ZCCB24	000345		
57 X 3/8 X .014	1448 X 9.5 X .3					ZCCC06	000352			ZCCC14	000369			ZCCC24	000376		
59-1/4 X 1/8 X .018	1505 X 3.2 X .5					20000	000352			ZCZA14A	002561						
59-1/4 X 1/4 X .014	1505 X 6.4 X .3					ZCZB06	000819										
59-1/4 X 3/8 X .014	1505 X 9.5 X .3					ZCZC06	000826										
59-1/2 X 1/8 X .018	1511 X 3.2 X .5					Lezcoo	******	ZCDA08A	002578	ZCDA14A	002585						
59-1/2 X 1/4 X .014	1511 X 6.4 X .3					ZCDB06	000406	LEDITORI	002370	ZCDB14	000413	ZCDB18	000420	ZCDB24	000437	ZCDB32	000444
59-1/2 X 3/8 X .014	1511 X 9.5 X .3					ZCDC06	000451			ZCDC14	000468		000120	ZCDC24	000482	ZCDC32	000499
62 X 1/8 X .018	1575 X 3.2 X .5					ZCDC00	000451	ZCEA08A	002592	ZCEA14A	002608				000 102	2002	000155
62 X 1/4 X .014	1575 X 6.4 X .3					ZCEB06	000529	ZCENOON	002372	ZCEB14	000536	ZCEB18	000543	ZCEB24	000550	ZCEB32	000567
62 X 3/8 X .014	1575 X 9.5 X .3					ZCEC06	000574			ZCEC14	000581	LCLDIO	000545	ZCEC24	000604	ZCEC32	000611
64-1/2 X 1/2 X .025	1638 X 12.7 X .6					ZCFD06	000574			ZCFD14	000635	ZCFD18	000642	ZCFD24	000659	ZCFD32	000666
70 X 1/8 X .018	1778 X 3.2 X .5					20 000	000020			ZCGA14A	002615	ZCIDIO	000012	ZCIDZI	000037	LCIDSL	000000
70 X 1/4 X .014	1778 X 6.4 X .3					ZCGB06	000697			Leant In	002013						
70 X 3/8 X .014	1778 X 9.5 X .3					ZCGC06	000703										
71-3/4 X 1/8 X .018	1822 X 3.2 X .5					ZCGCOO	000703			ZCHA14A	002622						
71-3/4 X 1/4 X .014	1822 X 6.4 X .3					ZCHB06	000857			ZCII/(I-I/(002022						
71-3/4 X 3/8 X .014	1822 X 9.5 X .3					ZCHDOO	000037										
72-7/16 X 1/8 X .025	1840 X 3.2 X .6									ZCIA14	000871						
72-7/16 X 1/4 X .025	1840 X 6.4 X .6					ZCIB06	000888			ZCI/(17	000071						
72-7/16 X 3/8 X .025	1840 X 9.5 X .6			ZCIC04	001076	ZCIDOO	000000										
72-7/16 X 1/2 X .025	1840 X 12.7 X .6	ZCID03	001083	ZCICO4	001070												
		ZCIDOS	001003							ZCJA14A	002639						
80 X 1/8 X .018 80 X 1/4 X .014	2032 X 3.2 X .5 2032 X 6.4 X .3					ZCJB06	000901			LONITA	002039						
80 X 1/4 X .014 80 X 3/8 X .014	2032 X 6.4 X .3 2032 X 9.5 X .3					ZCJC06	000901										
						2000	000710			ZCKA14A	002646						
82 X 1/8 X .018 82 X 1/4 X .014	2083 X 3.2 X .5 2083 X 6.4 X .3					ZCKB06	000949			ZCIVATA	002040						
82 X 3/8 X .014 82 X 3/8 X .014	2083 X 6.4 X .3 2083 X 9.5 X .3					ZCKC06	000949										
						ZCNC00	000930			ZCLA14	000970						
93-1/2 X 1/8 X .025 93-1/2 X 1/4 X .025	2362 X 3.2 X .6					ZCLB06	000987			ZCLA14 ZCLB14	000970						
	2362 X 6.4 X .6					ZCLB06	000987			ZCL614 ZCLC14	001052	ZCLC18	001007				
93-1/2 X 3/8 X .025	2362 X 9.5 X .6									ZCLD14	001069	ZCLC18 ZCLD18	001007	ZCLD24	001045		
93-1/2 X 1/2 X .025	2362 X 12.7 X .6	<u> </u>	<u> </u>		<u> </u>	ZCLD06	001014			ZCLV14	001021	ZCLDIĞ	001038	ZCLDZ4	001045		



METAL DEVIL® METAL-CUTTING CIRCULAR SAW BLADES

Morse Metal Devil® Saw Blades cut through steel and other tough metals as easily as traditional circular saw blades cut through soft pine 2x4's. These devils cut faster, cut cooler and cut longer than anything you are used to seeing in industrial plants or construction sites alike. You have got to see it to believe it.

Cut Cool

When we demonstrate the Morse Metal Devil® blade, we ask viewers to touch the freshly cut metal edges. People are amazed to find how cool it is to the touch. The unique metallurgy of the carbide tips means there is minimal heat transferred to the inner plate.

Cut Faster

Morse Metal Devil® blades cut so much faster than traditional methods, that it is hardly even a race. Consider that a Morse Metal Devil® blade can cut through 6" x 1/4" thick steel in approximately 12 seconds.

Cut longer

The Morse Metal Devil® is constructed with a hardened steel inner plate that has a unique combination of tungsten carbide and titanium carbide tips brazed to the teeth. As a result Morse Metal Devil® blades offer exceptional wear resistance and make more cuts than any other metal cutting blade on the market today.

Steel	Thin Steel	Stainless Steel	Aluminum
7"	THIN STEEL AS THE MEDICAL PROPERTY AS THE MEDICAL PROPERTY AS TO SERVICE AS THE MEDICAL PROPERTY AS TH	STAINLESS 1	LUMINUM 1

Blade Type	Application
Steel	Used to cut angle iron, steel plate, channel iron, I-beams, pipe and other ferrous metal shapes and parts.
Thin Steel	Used to cut ferrous metals under $1/8^{\circ}$ without bending the cut edge including corrugated roofing, sheet metal, conduit, and steel studs.
Stainless Steel	Used to cut all stainless steel, including $1/4^{\prime\prime}$ or thinner stainless plate, or $1/8^{\prime\prime}$ or thinner wall stainless tube.
Aluminum	Used to cut all $3/8^{\prime\prime}$ or thinner aluminum parts including extrusions, plate, angle and grating.

Blade Diameter	Part Number	Number of Teeth	Arbor	Applications	Computer Number	MAX RPM	Machine
	CSM5383058SC	30	5/8	Steel	100717	4200	Makita Only
5 3/8″	CSM53830SC	30	20-10mm-5/8	Steel	100007	4200	Makita
137mm	CSM53850AC	50	20-10mm-5/8	Aluminum	100014	4200	Panasonic
	CSM53850TSC	50	20-10mm-5/8	Thin Steel	100021	4200	Dewalt
	CSM62548SC	48	5/8	Steel	100038	4200	Makita
6 1/4″	CSM62560AC	60	5/8	Aluminum	100052	4200	
159mm	CSM62548SIC	48	20-16mm	Steel	100434	4200	Standard Circular Saws
	CSM62556TSIC CSM65040SC	56 40	20-16mm 5/8	Thin Steel Steel	100441 100069	4200 4200	Dewalt
6 1/2″	CSM65048TSC	48	5/8	Thin Steel	100076	4200	Miwaulkee
165mm	CSM6504020SC	40	20mm	Steel	100676	4200	Standard
	CSM6504820TSC	48	20mm	Thin Steel	100649	4200	Circular Saws
	CSM67540SC	40	20mm	Steel	100090	4200	
6 3/4"	CSM67560AC	60	20mm	Aluminum	100113	4200	Dewalt
171mm	CSM6754030SIC	40	30mm	Steel	100458	4200	Standard
	CSM6754830TSIC	40	30mm	Thin Steel	100472	4200	Circular Saws
	CSM736SC	36	20mm	Steel	100137	5800	Hitech
	CSM748SSC	48	20mm	Stainless Steel	100144	5800	Jancy
7″	CSM754AC	54	20mm	Aluminum	100151	5800	V orse
178mm	CSM768TSC	68	20mm	Thin Steel	100168	5800	
	CSM736SIC	36	30-20mm	Steel	100502	5800	Standard
	CSM768TSIC	68	30-20mm	Thin Steel	100496	5800	Circular Saws
	CSM72540SC	40	5/8 KO*	Steel	100175	5800	
	CSM72550SC	50	5/8 KO*	Steel	100182	5800	Standard Circular Saws
	CSM72560AC	60	5/8 KO*	Aluminum	100199	5800	Circular Saws
7 1/4″	CSM72568TSC	68	5/8 KO*	Thin Steel	100397	5800	
184mm	CSM7254020SC	40	20mm	Steel	100656	5800	
	CSM72550SIC	50	20-16mm	Steel	100519	5800	Standard Circular Saws
	CSM7256020AC	60 68	20mm	Aluminum	100663 100526	5800 5800	Circulai Saws
	CSM72568TSIC CSM75060AC	60	20-16mm 20mm	Thin Steel Aluminum	100326	5800	
7 1/2″	CSM75060AC CSM75068TSC	68	20mm	Thin Steel	100229	5800	Jepson
191mm	CSM7506830TSIC	50	30mm	Steel	100557	5800	Standard
	CSM7505030131C	68	30mm	Thin Steel	100537	5800	Circular Saws
	CSM840SC	40	5/8	Steel	100243	5800	
	CSM850SC	50	5/8	Steel	100250	5800	
8″	CSM860AC	60	5/8	Aluminum	100267	5800	Milwaukee
203mm	CSM868TSC	68	5/8	Thin Steel	100274	5800	
	CSM850SIC	50	30mm	Steel	100588	5800	Standard
	CSM868TSIC	68	30mm	Thin Steel	100571	5800	Circular Saws
8 1/4" 210mm	CSM82550SC	50	5/8 KO*	Steel	100281	5800	Standard Circular Saws
	CSM948SC	48	1	Steel	100304	3200	
	CSM9483C	80	1	Aluminum	100304	3200	Morse
9″	CSM968TSC	68	1	Thin Steel	100328	3200	Hitech
229mm	CSM960SSC	60	1	Stainless Steel	100403	3200	
	CSM948SIC	48	30-20mm	Steel	100595	3200	Standard
	CSM968TSIC	68	30-20mm	Thin Steel	100601	3200	Circular Saws
10″	CSM1052TSC	52	5/8	Thin Steel	100410	5200	Portable
254mm	CSM1080AC	80	5/8	Aluminum	100427	5500	Circular Saws
13"	CSM1260SC	60	1	Steel	100335	2000	Jepson
12″ 305mm	CSM1280AC	80	1	Aluminum	100359	3800	Makita Ridge
ווווווכטכ	CSM1280TSC	80	1	Thin Steel	100342	2000	Ryobi
	CSM1472SC	72	1	Steel	100366	1800	Vorse
	CSM1480AC	80	1	Aluminum	100373	3800	Dewalt
14″	CSM1481STC	81	1	Steel Studs	100670	1800	Jepson
356mm	CSM1490TSC	90	1	Thin Steel	100380	1800	Hitachi
	CSM1490SSC	90	1	Stainless Steel	100694	1800	Porter Cable
	CSM1472SIC	72	30mm	Steel	100618	1800	Standard
	CSM1490TSIC	90	30mm	Thin Steel	100625	1800	Circular Saws

^{5-3/8&}quot; blades include special bushings allowing them to fit 20mm, 10mm and 5/8" arbor holes * 5/8 KO fits both diamond and circular arbors. Blades in red indicate international machine arbor sizes.

We've combined metal cutting technology with science to develop a cutting performance that separates the all new Metal Devil NXT^{m} from the competition



HIGH GRADE CARBIDE

OPTIMIZED TIP DESIGN

CONSISTENCY RELIABILITY LESS VIBRATION

NEW PLATE TECHNOLOGY

ADVANTAGE: Stability of plate through manufacturing processes **BENEFIT:** Smoother cuts & longer blade life

NEW TIP DESIGN TAILORED TO THE CUTTING APPLICATION

ADVANTAGE: New technology minimizes stress in the carbide tips

BENEFIT: Longer blade life

NEW CARBIDE GRADES

ADVANTAGE: Longer and consistent blade life **BENEFIT:** Lowest cost-per-cut and satisfied end users

STEEL CUTTING APPLICATIONS















STEEL PIPE
3/16"- 1/4" (4.8 - 6mm) Wall Thickness
BLACK PIPE
Up to 2" (51mm) Diameter

Blade Diameter	Part Number	Number of Teeth	Arbor	Application	Computer Number	MAX RPM
5 3/8″ 137mm	CSM53832NSC CSM5383258NSC	32 32	20mm 5/8"	Steel Steel	101325 101332	4200 4200
7″ 178mm	CSM740NSC	40	20mm	Steel	101363	5800
7 1/4″ 184mm	CSM72540NSC CSM72548NSC	40 48	5/8 KO* 5/8 KO*	Steel Steel	101349 100356	5800 5800
8″ 203mm	CSM842NSC CSM848NSC	42 48	5/8" 5/8"	Steel Steel	101387 101394	5800 5800
8 1/4″ 210mm	CSM82548NSC	48	5/8 KO*	Steel	101370	5800
9″ 229mm	CSM948NSC	48	1"	Steel	101400	3200
14″ 356mm	CSM1466NSC	66	1"	Steel	101318	1800

^{* 5/8} KO fits both diamond and circular arbors.

Metal Devil POWER

Computer Number: 101158

SPECIFICATIONS:

1080 Watts / 120 V / 60 Hz / 9 Amp No-Load Speed 3500 RPM Blade Diameter 7" (178mm) Arbor Hole 20mm Weight 13 Lbs.

CUTTING CAPABILITIES:

Maximum Cutting Reach2.36" Maximum Thickness Cut (mild steel)1/4"

STANDARD EQUIPMENT INCLUDES:

Carrying Case, Overload Switch, Retracting Blade Guard, Quick Release Metal Chip Collecting Cover, Length Adjuster, Side Handle, 6mm Hex Key, Safety Goggles, Ear Plugs, Morse Metal Devil* Steel Cutting Blade

ISO9002, CSA Safety Certified



Computer Number: 101165

SPECIFICATIONS:

1800 Watts / 120 V / 60 Hz / 15 Amp No-Load Speed 2500 RPM Blade Diameter9" (229mm) Arbor Hole 1" Weight 19.75 Lbs.

CUTTING CAPABILITIES:

Maximum Cutting Reach 3-1/4" Maximum Thickness of Cut (Mild Steel) 3/8" Bevel Cut 0-45°

STANDARD EQUIPMENT INCLUDES:

Carrying Case, Laser Guide, Side Handle, Length Adjuster, Overload Switch, Retracting Blade Guard, Quick Release Metal Chip Collection Cover, 1 Wrench Attached to Unit, Safety Goggles, Ear Plugs, Morse Metal Devil® Steel Cutting Blade

ISO9002, CSA Safety Certified

9" CSM9MB **FEATURES:** LASER GUIDE 0°-45° BEVELING 30min. DUTY CYCLE **OVERLOAD SWITCH** CHIP COLLECTION CHAMBER RETRACTABLE BLADE GUARD **DURABLE CARRYING CASE**

Computer Number: 101172

SPECIFICATIONS:

120V / 60Hz / 15Amp No-Load Speed 1300 RPM Blade Diameter14" (356mm) Arbor Hole 1" Weight 53 Lbs.

90°

CUTTING CAPABILITIES: 45°

4-1/8" 5-1/8" Round Square 3-1/2" x 3-1/2" 4-3/4" x 4-3/4" Rectangle 3-1/8" x 4-3/8" 3-3/4" x 7-1/4" 1/4" (.6mm) maximum wall thickness, mild steel tubing 3/8" (.9mm) maximum thickness of cut mild steel

STANDARD EQUIPMENT INCLUDES:

Safety Guard, Mitering Vice, 8mm Hex Wrench, 6mm Hex Wrench, Safety Goggles, Ear Plugs Morse Metal Devil Steel Cutting Blade MC, ISO9002, CSA Safety Certified





Metal Devil®

For the CSM14MB Saw





METAL DEVIL V-BLOCKS

- Durable Steel Body
- Securely Holds Rounds, Squares & Rectangular Materials
- Can Employ Several Vice Configurations to Accommodate a Variety of Structural Materials
- Strengthen The Clamping Performance of the Vice System
- Improves Cutting Performance on Structural Shapes
- Optimizes Blade Life
- Provides Precise Cutting Results
- · Reduces Opportunity for Machine Damage

METAL DEVIL V-BLOCKS: CSP14A01 / 100724

Maximum Material Dimensions to be used with V-Blocks:

- Square Material 3-7/8" Width
- Round Material 3" Diameter

ABRASIVE WHEEL MANDRELS

These mandrels are made to fit Type 1 resin bonded wheels that are a popular choice for high speed air or electric die grinders for both cut-off and grinding applications. You'll find them anywhere, from small fabrication shops,

to giant automotive and aircraft assembly plants.

Our abrasive wheel mandrels are precision machined to ensure concentricity for faster cutting and safer operation.



		Shank Size	Arbor Hole Size	
Flush Type				
HMANF15	690089	1/4	3/8	1/32-1/4
HMANF250-S	690102	1/4	1/4	1/32-1/4
HMANF250-L	690096	1/4	1/4	1/4-1/2
HMANF375-S	690126	3/8	3/8	1/32-1/4
HMANF375-L	690119	3/8	3/8	1/4-1/2
HMAN40 Kit	690164	1/4,3/8	1/4-3/8	1/32-1/4
HMANC40 Kit	690010	1/4,3/8	1/4,3/8	1/32-1/4
Nut Type				
HMAN15	690133	1/4	3/8	1/32-1/4
HMAN250	690140	1/4	1/4	1/32-3/8
HMAN375	690157	3/8	3/8	1/32-1/2


Two styles:



for general purpose cutting, slotting or grinding applications.



for special access applications such as flush cuts or corner cuts.




BI-METAL HACK SAW BLADES

Provide longest life when cutting tougher materials. High speed steel cutting edges are hardened to Rc 65-67 to resist heat and wear. Flexible backers resist shattering, resulting in safer, longer lasting blades. Vacuum heat treating creates harder edge for faster, easier cutting.

TRIPLE TOOTH™ BI-METAL HACK SAW BLADE

Utilize maximum cutting efficiency with three teeth sizes. Lead off with 32tpi, move to 24tpi for more aggressive strokes and complete the stroke with 18tpi. Or isolate the blade to use only one section.

Cut wood, plastic or any machinable metal, including conduit, stainless steel tubing, angle iron, copper tubing, structural materials and more.





Length X Wid	th X Thickness		100/	100/Tube				ndard Pack
Inches	mm		Product	Comp #	1	0	Product	Comp #
12 X 1/2 X .025	300 X 12.7 X .6	18/24/32	HHB12182432T100	302340	HHB12182432T10	302333	HHCB12182432-2	304092

STANDARD BI-METAL HACK SAW BLADE

Cut wood, plastic or any machinable metal, including conduit, stainless steel tubing, angle iron, copper tubing, structural materials and more.



Length X Wid	lth X Thickness		100/E	юх			10/Tube		2/Card 5/Standard Pack	
Inches	mm		Product	Comp #	100		Product	Comp #	Product	Comp #
10 X 1/2 X .025	250 X 12.7 X .6	18	HHB1018	360180			HHB1018T10	300186	HHCB1018-2	304009
10 X 1/2 X .025	250 X 12.7 X .6	24	HHB1024	360241			HHB1024T10	300247	HHCB1024-2	304016
10 X 1/2 X .025	250 X 12.7 X .6	32	HHB1032	360326			HHB1032T10	300322	HHCB1032-2	304023
12 X 1/2 X .025	300 X 12.7 X .6	14	HHB1214	362146	HHB1214T100	300100	HHB1214T10	302142	HHCB1214-2	304030
12 X 1/2 X .025	300 X 12.7 X .6	18	HHB1218	362184	HHB1218T100	300117	HHB1218T10	302180	HHCB1218-2	304047
12 X 1/2 X .025	300 X 12.7 X .6	24	HHB1224	362245	HHB1224T100	300124	HHB1224T10	302241	HHCB1224-2	304054
12 X 1/2 X .025	300 X 12.7 X .6	32	HHB1232	362320	HHB1232T100	300131	HHB1232T10	302326	HHCB1232-2	304108
Variable Pitch										
12 X 1/2 X .025	300 X 12.7 X .6	14/18	HHB121418	362153	HHB121418T100	300148	HHB121418T10	302159	HHCB121418-2	304061
12 X 1/2 X .025	300 X 12.7 X .6	20/24	HHB122024	362160	HHB122024T100	300155	HHB122024T10	302166	HHCB122024-2	304078
12 X 1/2 X .025	300 X 12.7 X .6	26/32	HHB122632	362177	HHB122632T100	300162	HHB122632T10	302173	HHCB122632-2	304085

CARBIDE GRIT ROD SAWS AND HACK SAW BLADES

These specialty blades fit standard hack saw frames and cut hard materials like glass, ceramic tile, hardened steel, and more. The carbide grit cutting edges are super resistant to heat, wear and abrasion. They also resist snagging.

CARBIDE GRIT ROD SAWS

The thin cutting profile makes it easy to cut shapes and patterns even in limited access areas. Will not tear thin materials. Carbide grit is permanently bonded to a steel alloy rod. Cuts in both directions.

Dimens	sions	25/Box		3/T	ube	1/Card - 5/Box		
Inches	mm	Product #	Computer #	Product #	Computer #	Product #	Computer #	
10	250	HRTCG10	362214	HRTCG10T03	362351	HRCTCG10	332217	
12	300	HRTCG12	362221	HRTCG12T03	362368	HRCTCG12	332224	

CARBIDE GRIT HACK SAW BLADES

Cut difficult materials including hydraulic hose and stranded cable. Blades cut on both the push and pull stroke for faster cutting and longer life.

Dimen	sions	25/Box		3/T	ube	1/Card - 5/Box	
Inches	mm	Product #	Computer #	Product #	Computer #	Product #	Computer #
10	250	HHTCG10	362191	HHTCG10T03	362337	HHCTCG10	332194
12	300	HHTCG12	362207	HHTCG12T03	362344	HHCTCG12	332200

MINI HACK SAW FRAME

This lightweight plastic frame is ideal for cutting in small, hard to reach areas. It is durable, comfortable to use and comes complete with a 10" bi-metal blade.

PACKAGING: 5 saws per box.

Description	Product #	Computer #
Mini hand hack saw frame with 10"	HHBF05-10	330077
bi-metal blade		

Hack Saw Frame

HACK SAW FRAMES

MASTER McCOY®

Another Morse original and the finest high performance hack saw frame you can find. It is stronger, cuts straighter, helps blades last longer and is more comfortable to use than other frames. It also offers more versatility and can make either standard or flush cuts.

PACKAGING: 1 frame per sleeve. 4 frames per box. PRODUCT NO. **HHBFO2 / 330022**

Includes (1) 12" 20/24 TPI Blade

Locking Screw Design allows for storage of Alloy Steel Support Beam makes frame stronger extra blades and and allows over 30,000 PSI tensioning. secures blade for "jab" sawing Ergonomic grip protects fingers and grips comfortably Multiple Pin Locations for mounting blade at 90° or 45° for standard or flush-cut applications Tensioning Handle provides extra torque to keep blades rigid for straighter cuts and longer blade life.

LIGHTWEIGHT HIGH TENSION FRAME

Made from lightweight aluminum, it cuts straight whether making standard or flush cuts.

PACKAGING: 1 frame per sleeve. 4 frames per box.

PRODUCT NO. **HHBFO1 / 330015** Includes (1) 12" 24 TPI Blade

Locking Screw Design allows for storage of extra blades and secures blade for "jab" sawing

Multiple Pin Locations for mounting blade at 90° or 45° for standard or flush-cut applications

Tensioning Handle provides extra torque for straighter cuts and longer blade life

From the deluxe lightweight Contractor High Tension Frame, to the ergonomically designed Contractor HD and the ever versatile Contractor Utility, Morse offers a hack saw frame for your contracting needs. Includes (1) 12" 24 TPI bimetal hack saw blade.

PACKAGING: 1 frame per sleeve. 4 frames per box.







POWER HACK SAW BLADES

Bi-metal blades for use on modern high production power hack saw machines.

PACKAGING: 10 blades per box.

				Teeth
42 V 5 /0 V 050	200 445 0 44 2	DUNIAGENA	270044	4.
12 X 5/8 X .050	300 X 15.8 X 1.3	PHW125814 PHW125818	370011 370028	14 18
12 X 1 X .050	300 X 25.4 X 1.3	PHW1205010	370026	10
12 % 1 % .050	300 A 23.4 A 1.3	PHW1205014	370033	14
14 X 1 X .050	350 X 25.4 X 1.3	PHW1405010	370059	10
		PHW1405014	370066	14
14 X 1-1/4 X .062	350 X 32 X 1.6	PHW1406206	370073	6
		PHW1406210	370080	10
14 X 1-1/2 X .075	350 X 38 X 1.9	PHW1407504	370103	4
17 X 1 X .050	425 X 25.4 X 1.3	PHW1407506 PHW1705010	370110 370127	6
17 A 1 A .030	423 A 23.4 A 1.3	PHW1705010 PHW1705014	370127 370134	10 14
17 X 1-1/4 X .062	425 X 32 X 1.6	PHW1706206	370141	6
17 17 17 17 1002	125 / 152 / 110	PHW1706210	370158	10
18 X 1-1/4 X .062	450 X 32 X 1.6	PHW1806206	370165	6
		PHW1806210	370172	10
18 X 1-1/2 X .075	450 X 38 X 1.9	PHW1807504	370196	4
40 74 2 4 7 4 9 4 9 9	450 7 45 7 2 2	PHW1807506	370202	6
18 X 1-3/4 X .088	450 X 45 X 2.2	PHW1808804 PHW1808806	370226 370271	4 6
21 X 1-3/4 X .098	525 X 45 X 2.5	PHW2108804	3702/1 370240	4
Z 1 / 1 - 3/ T / 1.070	J2J N 7J N 2.J	PHW2108806	370240	6
24 X 2 X .100	600 X 50 X 2.5	PHW2410004	370264	4





Warranty

The M. K. Morse Company warrants each new product manufactured and sold by it or one of its authorized distributors only against defects in workmanship and/or materials under normal service, proper installation and use. THIS WARRANTY IS LIMITED TO REPAIR OR REPLACEMENT OF VERIFIED DEFECTIVE PRODUCTS AND EXCLUDES ANY AND ALL IMPLIED WARRANTY OF MERCHANTABILITY AND ALL RISK AND LIABILITY WHATSOEVER RESULTING FROM ANY USE OF SAID PRODUCTS, INCLUDING INCIDENTAL AND CONSEQUENTIAL DAMAGES. THERE ARE NO WARRANTIES WHICH EXTEND BEYOND THE DESCRIPTION ON THE FACE THEREOF. The provisions of this warranty and limitation of liability shall not be modified in any respect except by written document signed by an officer of The M. K. Morse Company.

Important

CUTTING TOOLS CAN SHATTER AND/OR BREAK UNDER IMPROPER OR SEVERE USE. WEAR SAFETY EQUIPMENT, AND PARTICULARLY EYE AND HEARING PROTECTION, AT ALL TIMES IN THE VICINITY OF THEIR USE. ALWAYS FOLLOW POWER TOOL MANUFACTURES' RECOMMENDATIONS.

PHONE (330) 453-8187 FAX (330) 453-1111 HOTLINE (800) 733-3377 FAX HOTLINE (800) 729-1112 WEBSITES mkmorse.com bladewizard.com independenceband.com

MAILING ADDRESS: P.O. Box 8677 Canton, Ohio 44711 USA SHIPPING ADDRESS: 1101 - 11th St., S.E. Canton, Ohio 44707 USA



PREMIUM SAWING SOLUTIONS

PORTABLE BAND SAW BLADES ▼ RECIPROCATING SAW BLADES ▼ JIGSAW BLADES HOLE SAWS & ACCESSORIES ▼ STEP DRILLS ▼ DOUBLE CUT AUGERS ▼ SPADE BITS HACKSAW FRAMES & BLADES ▼ JAB SAW HANDLES ▼ CIRCULAR SAWS & BLADES